



# 830-01<sup>Q&As</sup>

RCPE Certified Professional WAN Optimization

## Pass Riverbed 830-01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/830-01.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Riverbed  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

An unwanted Steelhead appliance appears on the current connections list of one of your Steelhead appliances. How can you stop inbound connections from this unknown appliance from optimizing with your Steelhead appliances?

- A. Create new peering rule(s) on your Steelhead appliances
- B. Create new in-path rule(s) on your Steelhead appliance
- C. Create IPsec tunnels between all of your Steelhead appliances
- D. Reload all of your Steelhead appliances
- E. Reload only the data center Steelhead appliance

Correct Answer: A

---

**QUESTION 2**

When Connection Forwarding is in use, when a neighbor fails, the default behavior of the remaining neighbor will be to:

- A. It will start to bypass traffic immediately
- B. It will start to bypass traffic only after about 30 seconds
- C. It is transparent to the outage and will continue to optimize as per normal
- D. It will cease to optimize for about 30 seconds and start to optimize again

Correct Answer: B

---

**QUESTION 3**

You have an existing Steelhead appliance deployment which is achieving excellent optimization at five sites. You have deployed a Steelhead appliance physically in-path at a new small branch office and many of the new branch office users\' applications are unoptimized; however some of the new branch office users\' access to the same applications are optimized. None of the Steelhead appliances are in admission control. What is the likely cause?

- A. Duplex mismatch between the new branch office Steelhead and a connected device
- B. Duplex mismatch between the data center Steelhead and a connected device
- C. Network Asymmetry
- D. WAN link disconnection
- E. Overloaded servers

Correct Answer: C

---



#### QUESTION 4

A Steelhead Mobile client can be configured to operate in visible or invisible mode (show client in system tray parameter). What part of the configuration is this setting included?

- A. Acceleration policy
- B. Authentication policy
- C. Endpoint policy
- D. Port labels

Correct Answer: C

---

#### QUESTION 5

A customer with no Steelhead appliances currently deployed wants to test Steelhead Mobile on a client that connects to corporate through a VPN over the Internet. The customer has the requirement that there be no network disruptions during the initial testing phase. Which of the following would work?

- A. Place a Steelhead appliance in-path behind the WAN router and have the Steelhead Mobile client use auto-discovery rules
- B. Use server-side out-of-path with a Steelhead and use fixed-target rules on the Steelhead Mobile clients
- C. Place a Steelhead in-path directly behind the VPN gateway and use auto-discovery on the Steelhead Mobile client
- D. Use server-side out-of-path with the Steelhead Mobile Controller and use a fixed-target on the Steelhead Mobile client
- E. Place the Steelhead Mobile Controller in-path directly behind the VPN gateway and use auto- discovery on the Steelhead Mobile client

Correct Answer: B

[830-01 Practice Test](#)

[830-01 Exam Questions](#)

[830-01 Braindumps](#)