



# 830-01<sup>Q&As</sup>

RCPE Certified Professional WAN Optimization

## Pass Riverbed 830-01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/830-01.html>

100% Passing Guarantee  
100% Money Back Assurance


Following Questions and Answers are all new published by Riverbed  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

The exhibit shows a data center side serial clustering deployment. In this organization, not every remote site has a Steelhead appliance deployed, and all remote locations will be connecting to the data center.



For connections initiated from the data center, there is a possibility that the Steelhead appliances shown in the exhibit will end up peering with each other, rather than the intended remote Steelhead appliances. Where are peering rules needed to prevent this problem?

- A. A only
- B. B only
- C. B and C
- D. A and B

Correct Answer: D

**QUESTION 2**

Authentication fails for certain users after configuring the Server-Side Steelhead Appliance to be a RODC. What could be the issue?

- A. These users make use of NTLM authentication.
- B. These users exclusively make use of Kerberos authentication.
- C. Overlapping open is enabled.
- D. SMB signing is required.



Correct Answer: B

---

### QUESTION 3

Which of the following custom TACACS+ attribute-value (AV) pairs gives the user administrative privileges?

- A. local-user-name=superuser
- B. local-user-name=admin
- C. local-user-name=administrator
- D. local-user-name=monitor
- E. local-user-name=guest

Correct Answer: B

---

### QUESTION 4

When two or more Steelhead appliances are configured with Connection Forwarding in such environments as WCCP clustering, what feature will allow remaining Steelhead appliances to continue to provide optimization for new connections when one unit fails?

- A. In-Path Neighbor Failure Allow
- B. WCCP neighbor active
- C. Minimum cluster count set to 1
- D. Maximum cluster count set to 2
- E. This cannot be done on Steelhead appliances

Correct Answer: A

---

### QUESTION 5

The port used by the Steelhead appliance for datastore synchronizations is:

- A. 7801
- B. 7810
- C. 7744
- D. 7850

Correct Answer: C

---



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/830-01.html>

2024 Latest pass4itsure 830-01 PDF and VCE dumps Download

---

[Latest 830-01 Dumps](#)

[830-01 PDF Dumps](#)

[830-01 VCE Dumps](#)