



830-01^{Q&As}

RCPE Certified Professional WAN Optimization

Pass Riverbed 830-01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/830-01.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Riverbed
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

What is the primary purpose of Connection Forwarding in WCCP deployments with multiple Steelhead appliances in a single cluster? (Select 2)

- A. For handling Removal Query process
- B. For handling Redirect Assignment process
- C. For handling Here-I-Am packets process
- D. For handling the I-See-U packets process
- E. Connection Forwarding is not recommend in WCCP deployments

Correct Answer: AB

QUESTION 2

What type of problem does the error message below indicate:

Aug 30 18:19:27 SH pm[18716]: [pm.ERR]: Output from sport:

/opt/rbt/bin/sport (pid 11304) received signal 6 (SIGABRT) dumping core

- A. It is not a problem, but part of the regular operation
- B. The management process crashed
- C. The optimization process crashed
- D. The management process received permission to connect to a Granite Core device
- E. The sport process received permission to connect to a Granite Core device

Correct Answer: C

QUESTION 3

In a recent in-path deployment, users are complaining that some of their CIFS drive-mapping connections do not appear to be optimized. Upon further analysis, you discover the file shares reside on a domain controller. The Steelhead appliances are deployed in a default configuration. Which of the following is the most likely cause of the problem?

- A. The Steelhead appliance lost an Opportunistic Lock on the file
- B. SMB Signing is set to required
- C. No fixed-target rules installed
- D. Misconfigured Steelhead appliance



E. Packet ricochet

Correct Answer: B

QUESTION 4

Refer to the exhibit.

Peer	Version	Backup	Optimized Connections	Admission Control	Last Reconnect
172.0.2.17	tanga-386-flamebox	255.255.255.255:0	24	5000	2007/03/08 19:42:56
	Interface(s):	172.0.2.17:7850	State: Resyncing		
172.0.2.18	tanga-x86_64-flamebox	255.255.255.255:0	29	15000	2007/03/08 19:42:56
	Interface(s):	172.0.2.18:7850	State: Resyncing		
172.0.2.19	tanga-386-flamebox	255.255.255.255:0	34	5000	2007/03/08 19:42:56
	Interface(s):	172.0.2.19:7850	State: Resyncing		
172.0.2.20	tanga-386-flamebox	255.255.255.255:0	45	5000	2007/03/08 19:42:56
	Interface(s):	172.0.2.20:7850	State: Resyncing		
172.0.2.21	tanga-386-flamebox	255.255.255.255:0	43	5000	2007/03/08 19:42:56
	Interface(s):	172.0.2.21:7850	State: Resyncing		

What does the term resyncing mean?

- A. All Interceptor appliances have been connected and the appliances are transferring connection information
- B. All Interceptor appliances and all Steelhead appliances have been connected and the appliances are transferring connection information
- C. The connection has been established and the Interceptor appliance is transferring its state information
- D. The connection has been established and the devices are transferring their state information

Correct Answer: D

QUESTION 5

You are using TCPdumps on the server-side SteelHead to troubleshoot an application connectivity issue.

The following filter is used on the TCPdump:

(host and host) or (host and host) or (proto gre

and ((ip[40:4] =

and

ip[44:4] =) or (ip[40:4] = and ip[44:4] =)) or (port 7850)

What part of the filter captures the traffic which the Interceptor has applied NAT to?

- A. (ip[40:4] = and ip[44:4] =)



B. (host and host)

C. (proto gre and ((ip[40:4] = and ip[44:4] =)

D. (host and host)

Correct Answer: A

[Latest 830-01 Dumps](#)

[830-01 PDF Dumps](#)

[830-01 Study Guide](#)