



98-366^{Q&As}

Networking Fundamentals

Pass Microsoft 98-366 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/98-366.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

Which protocol can be used to encrypt packets on the Internet?

- A. SNMP
- B. HTTPS
- C. TFTP
- D. HTTP

Correct Answer: B

HTTPS, which stands for Hypertext Transfer Protocol Secure, makes it more difficult for hackers, the NSA, and others to track users. The protocol makes sure the data isn't being transmitted in plain-text format, which is much easier to eavesdrop on.

QUESTION 2

Which of the following uses pointer records and A records?

- A. IDS
- B. DNS Server
- C. NAT Server
- D. IPS

Correct Answer: B

DNS records include:

*

A Address record

*

PTR Pointer record

QUESTION 3

This question requires that you evaluate the underlined text to determine if it is correct.

Plain old telephone service (POTS), most ISDN lines, and switched T1 lines are all examples of "Message Switching".

Select the correct answer if the underlined text does not make the statement correct. Select "No change is needed" if the underlined text makes the statement correct.



- A. Circuit Switching
- B. Packet Switching
- C. FDDI Switching
- D. No change is needed

Correct Answer: A

*

Examples of circuit-switched networks Public switched telephone network (PSTN) ISDN B-channel

*

You can get a circuit-switched T1, while frames clouds on T1s are usually packet-switched.

QUESTION 4

For each of the following statements, select Yes if the statement is true. Otherwise, select No. Each correct selection is worth one point.

Hot Area:

Answer Area

	Yes	No
An IPv4 address consists of 64 bits.	<input type="radio"/>	<input type="radio"/>
It is standard practice to divide the binary bits of an IPv4 address into 8-bit fields named octets.	<input type="radio"/>	<input type="radio"/>
The value of any IPv4 octet can be from 0 to 256.	<input type="radio"/>	<input type="radio"/>

Correct Answer:

**Answer Area**

Yes

No

An IPv4 address consists of 64 bits.

☐☒

It is standard practice to divide the binary bits of an IPv4 address into 8-bit fields named octets.

☒☐

The value of any IPv4 octet can be from 0 to 256.

☐☒

QUESTION 5

In local area network (LAN) topologies, the primary media access methods are: (Choose two.)

- A. Contention
- B. Negotiation
- C. Kerberos
- D. Token passing

Correct Answer: AD

Media contention occurs when two or more network devices have data to send at the same time. Because multiple devices cannot talk on the network simultaneously, some type of method must be used to allow one device access to the network media at a time. This is done in two main ways: carrier sense multiple access collision detect (CSMA/CD) and token passing.

[98-366 PDF Dumps](#)[98-366 VCE Dumps](#)[98-366 Practice Test](#)