



98-388^{Q&As}

Introduction to Programming Using Java

Pass Microsoft 98-388 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/98-388.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1****HOTSPOT**

You write the following Java program for Munson's Pickles and Preserves Farm. Line numbers are included for reference only.

```
01 class Pickle {
02     boolean isPreserved = false;
03     private boolean isCreated = false;
04
05     void preserve() {
06         isPreserved = true;
07     }
08
09     public static void main(String[] args)
10     {
11         Pickle pickle = new pickle();
12         isCreated = true;
13         pickle.preserve;
14     }
15 }
```

You encounter error messages when you attempt to compile the program.

You need to ensure the program compiles successfully.

How should you complete the code? To answer, select the appropriate code segments in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:



Answer Area

```
class Pickle {
    boolean isPreserved = false;
    private boolean isCreated = false;

    void preserve() {
        isPreserved = true;
    }

    public static void main(String[] args)
    {
        

|                               |   |
|-------------------------------|---|
|                               | ▼ |
| Pickle pickle = new pickle(); |   |
| Pickle pickle = new Pickle(); |   |
| pickle Pickle = new Pickle(); |   |
| pickle Pickle = new pickle(); |   |



|                          |   |
|--------------------------|---|
|                          | ▼ |
| isCreated = true;        |   |
| Pickle.isCreated = true; |   |
| pickle.isCreated = true; |   |



|                    |   |
|--------------------|---|
|                    | ▼ |
| pickle.preserve;   |   |
| pickle.preserve(); |   |
| Pickle.preserve;   |   |
| Pickle.preserve(); |   |


    }
}
```

Correct Answer:



Answer Area

```
class Pickle {
    boolean isPreserved = false;
    private boolean isCreated = false;

    void preserve() {
        isPreserved = true;
    }

    public static void main(String[] args)
    {
        

|                                      |   |
|--------------------------------------|---|
|                                      | ▼ |
| Pickle pickle = new pickle();        |   |
| Pickle pickle = new Pickle();        |   |
| <b>pickle Pickle = new Pickle();</b> |   |
| pickle Pickle = new pickle();        |   |



|                                 |   |
|---------------------------------|---|
|                                 | ▼ |
| isCreated = true;               |   |
| <b>Pickle.isCreated = true;</b> |   |
| pickle.isCreated = true;        |   |



|                           |   |
|---------------------------|---|
|                           | ▼ |
| pickle.preserve;          |   |
| pickle.preserve();        |   |
| Pickle.preserve;          |   |
| <b>Pickle.preserve();</b> |   |


    }
}
```

QUESTION 2

HOTSPOT

You write the following code:



```
Scanner sc = new Scanner("1 Excellent 2 Good 3 Fair 4 Poor");  
Object data1 = sc.next();  
Object data2 = sc.next();  
Object data3 = sc.nextInt();  
Object data4 = sc.nextLine();
```

You need to determine the values of the data1, data2, data3, and data4 variables.

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the code.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

The value of data1 is

	▼
1	
1 Excellent 2 Good 3 Fair 4 Poor	
Excellent	

The value of data2 is

	▼
Excellent	
Excellent 2 Good 3 Fair 4 Poor	
Good	
(An empty string)	

The value of data3 is

	▼
0	
1	
2	
3	

The value of data4 is

	▼
1 Excellent 2 Good 3 Fair 4 Poor	
Good 3 Fair 1 Poor	
Fair 4 Poor	
(An empty string)	

Correct Answer:

**Answer Area**

The value of data1 is

	▼
1	
1 Excellent 2 Good 3 Fair 4 Poor	
Excellent	

The value of data2 is

	▼
Excellent	
Excellent 2 Good 3 Fair 4 Poor	
Good	
(An empty string)	

The value of data3 is

	▼
0	
1	
2	
3	

The value of data4 is

	▼
1 Excellent 2 Good 3 Fair 4 Poor	
Good 3 Fair 4 Poor	
Fair 4 Poor	
(An empty string)	

References: <https://docs.oracle.com/javase/7/docs/api/java/util/Scanner.html>**QUESTION 3****HOTSPOT**

You need to evaluate the following code. Line numbers are included for reference only.

```
01 public static void main(String[] args) {
02     int anum = 55;
03     for (int cnt = 0; cnt < 10; cnt++) {
04         add(anum);
05     }
06     System.out.println(anum);
07 }
08
09 public static void add(int anum) {
10     anum++;
11 }
```

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the code. NOTE: Each correct selection is worth one point.

Hot Area:



Answer Area

Which statement describes the value of `anum` at line 05?

- When `cnt` is 9, the value of `anum` is 55.
- When `cnt` is 9, the value of `anum` is 56.
- When `cnt` is 9, the value of `anum` is 64.
- When `cnt` is 9, the value of `anum` is 65.

Which statement describes the value of `anum` at line 11?

- When `cnt` is 7, the value of `anum` is 55.
- When `cnt` is 7, the value of `anum` is 56.
- When `cnt` is 7, the value of `anum` is 62.
- When `cnt` is 7, the value of `anum` is 63.

Which statement describes the value of `cnt` at line 06?

- The value of `cnt` is 10.
- The value of `cnt` is 11.
- The variable `cnt` is out of scope.

Correct Answer:

Answer Area

Which statement describes the value of `anum` at line 05?

- When `cnt` is 9, the value of `anum` is 55.
- When `cnt` is 9, the value of `anum` is 56.
- When `cnt` is 9, the value of `anum` is 64.
- When `cnt` is 9, the value of `anum` is 65.

Which statement describes the value of `anum` at line 11?

- When `cnt` is 7, the value of `anum` is 55.
- When `cnt` is 7, the value of `anum` is 56.
- When `cnt` is 7, the value of `anum` is 62.
- When `cnt` is 7, the value of `anum` is 63.

Which statement describes the value of `cnt` at line 06?

- The value of `cnt` is 10.
- The value of `cnt` is 11.
- The variable `cnt` is out of scope.

QUESTION 4

DRAG DROP

Traders hires you to write a Java program to manage account openings. To open a new account, a user must meet one the following requirements:

be over 65 years old and have a minimum annual income of 10,000

be at least 21 and have an annual income greater than 25,000

How should you complete the code? To answer, drag the appropriate operator to the correct position. Each operator may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.



Select and Place:

Operators

Answer Area

```

if (age  65  income  10000 
    age  21  income  25000) {
    System.out.println("Approved");
}
else {
    System.out.println("Declined");
}

```

Correct Answer:

Operators

Answer Area

```

if (age  65  income  10000 
    age  21  income  25000) {
    System.out.println("Approved");
}
else {
    System.out.println("Declined");
}

```

References: https://www.tutorialspoint.com/java/java_basic_operators.htm

QUESTION 5

HOTSPOT

You are writing a Java program.

The program must meet the following requirements:

Truncate firstName to its first five characters

Set output to a string that contains the firstName and the number of characters in firstName

How should you complete the code? To answer, select the appropriate code segments in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:



Answer Area

```

public static void main(String[] args)
{
    String firstName = "Christopher";
    firstName = firstName.
    String output = String.format("
    System.out.println(output);
}

```

Correct Answer:

Answer Area

```

public static void main(String[] args)
{
    String firstName = "Christopher";
    firstName = firstName.
    String output = String.format("
    System.out.println(output);
}

```

References: https://docs.oracle.com/javase/7/docs/api/java/lang/StringBuilder.html
https://www.tutorialspoint.com/java/lang/stringbuilder_substring_end.htm

[Latest 98-388 Dumps](#)

[98-388 PDF Dumps](#)

[98-388 VCE Dumps](#)