



# 9A0-389<sup>Q&As</sup>

Adobe Campaign Developer

## Pass Adobe 9A0-389 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/9a0-389.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Adobe  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

How can you prevent a user from inputting a recipient without an email address?

- A. By adding a element in the form.
- B. By adding a "dataPolicy=\\'mandatory\\'" attribute to the schema.
- C. By adding a "mandatory=\\'true\\'" attribute to the form.
- D. By adding a trigger in the database.

Correct Answer: C

---

**QUESTION 2**

Which is required when creating a new Plan?

- A. Description
- B. Parent
- C. Start and end date
- D. Nature

Correct Answer: D

Reference: [https://docs.campaign.adobe.com/doc/AC6.1/en/CMP\\_Marketing\\_campaigns\\_Setting\\_up\\_marketing\\_campaigns.html](https://docs.campaign.adobe.com/doc/AC6.1/en/CMP_Marketing_campaigns_Setting_up_marketing_campaigns.html)

---

**QUESTION 3**

Regarding the schema below, why is the link NOT optimized?

```
<srcSchema name="purchase" namespace="neo">
  <element autopk="true" label="Purchases" name="purchase">
    <attribute label="purchase identifier" name="idPurchase" type="long">
    <attribute label="Product" name="product" type="string"/>
    <attribute label="Date" name="date" type="date"/>
    <attribute label="Price" name="price" type="double"/>
    <element label="Recipient" name="recipient" target="nms:recipient" type="link">
      <join xpath-dest="@id" xpath-src="@idPurchase"/>
    </element>
  </element>
</srcSchema>
```



- A. Integrity rules are not defined
- B. The sequence for filling primary key values is not defined
- C. The automatic primary key is not used
- D. There is no unique index on the idPurchase attribute

Correct Answer: D

---

#### QUESTION 4

The schema below contains an address element. How would you display the first line of the address?

```
<srcSchema>
  <element desc="Information about the geographical location" label="Location" name="location">
    <attribute label="Address 1 (apartment)" length="80" name="address1" type="string"/>
    <attribute label="Address 2" length="80" name="address2" type="string"/>
    <attribute label="Address 3 (Number and street)" length="80" name="address3" type="string"/>
    <attribute label="Address 4 (country)" length="80" name="address4" type="string"/>
    <attribute label="Zip/Postcode" length="20" name="zipCode" type="string"/>
    <attribute label="City" length="75" name="city" type="string" userEnum="city"/>
    <attribute label="State/Province code" name="stateCode" type="string"/>
    <attribute advanced="true" label="Country code" length="3" name="countryCode" type="string"/>
    <join xpath-dest="@id" xpath-src="@idPurchase"/>
  </element>
</srcSchema>
```

- A.
- B.
- C.
- D.

Correct Answer: D

Reference: [https://docs.campaign.adobe.com/doc/AC6.1/en/CFG\\_Input\\_forms\\_Form\\_structure.html](https://docs.campaign.adobe.com/doc/AC6.1/en/CFG_Input_forms_Form_structure.html)

---

#### QUESTION 5

How can you give access to a view without giving access to its source folder?

- A. Provide only read access to the specific parent node.
- B. Do not give read access on the parent node of the source folder.
- C. Set the "Restrict to information found in sub-folders of" tab to the specific view.



D. The user must be able to access the source folder to access a view.

Correct Answer: B

Reference: <https://docs.campaign.adobe.com/doc/archives/en/610/platform-v6.1-en.pdf> (page 211)

[Latest 9A0-389 Dumps](#)

[9A0-389 Study Guide](#)

[9A0-389 Exam Questions](#)