

9A0-389^{Q&As}

Adobe Campaign Developer

Pass Adobe 9A0-389 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/9a0-389.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Adobe
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.pass4itsure.com/9a0-389.html 2024 Latest pass4itsure 9A0-389 PDF and VCE dumps Download

QUESTION 1

There is an import workflow and an aggregates workflow. The aggregates need to be recalculated every time new data is imported.

Which should you use as the first activity of the aggregates workflow?

- A. A JavaScript activity that contains the OnReceiveEvent method.
- B. A Scheduler activity that runs every 5 minutes.
- C. A Signal activity that is called from a PostEvent method.
- D. A Jump that is called from another Jump.

Correct Answer: B

QUESTION 2

Which file handles incoming SOAP requests in Adobe Campaign?

- A. nljsprouter.jsp
- B. soaprouter.jsp
- C. soapservice.jsp
- D. soapservice.php
- E. jsprequest.jsp
- F. neorouter.jssp

Correct Answer: B

 $Reference: https://docs.campaign.adobe.com/doc/AC6.1/en/CFG_API_Web_service_calls.html\\$

QUESTION 3

You want to see the email column in the list of the field recipient records. What should you do?

- A. Add the email to the navtree definition.
- B. Add the email to the form definition.
- C. Add the email to the "configure list" menu.
- D. Add the email to the schema definition.



https://www.pass4itsure.com/9a0-389.html

2024 Latest pass4itsure 9A0-389 PDF and VCE dumps Download

Correct Answer: C

QUESTION 4

The following data model was automatically created by Adobe Campaign. How would you implement the corresponding schema?

https://www.pass4itsure.com/9a0-389.html

2024 Latest pass4itsure 9A0-389 PDF and VCE dumps Download

cdArchive

SQL field	Type	Label	Description
iCdArchiveId	long	Primary key	Internal primary key
sArtist	string 100	Artist	Artist
sRecordCompany	string 50	Record Company	Record Company
sTitle	string 100	Title	Title
tsReleaseDate	date	Release Date	Release Date

```
<srcSchema>
           <element autopk="true" label="cdArchive" name="cdArchive">
                <attribute label="Primary key" name="cdArchiveId" type="long"/>
                <attribute label="Artist" length="100" name="artist" type="string"/>
<attribute label="Title" length="100" name="title" type="string"/>
                <attribute label="Release Date" name="releaseDate" type="date"/>
                <attribute label="Record Company" length="50" name="recordCompany" type="string"/>
           </element>
     </srcSchema>
B.
     <srcSchema>
           <element label="cdArchive" name="cdArchive">
                <attribute label="sArtist" length="100" name="artist" type="string"/>
<attribute label="sTitle" length="100" name="title" type="string"/>
                <attribute label="tsRelease Date" name="releaseDate" type="date"/>
                <attribute label="sRecord Company" length="50" name="recordCompany" type="string"/>
           </element>
     </srcSchema>
C.
     <srcSchema>
           <element label="cdArchive" name="iCdArchive">
                <attribute label="Artist" length="100" name="sArtist" type="string"/>
                <attribute label="Title" length="100" name="sTitle" type="string"/>
                <attribute label="Release Date" name="tsReleaseDate" type="date"/>
                <attribute label="Record Company" length="50" name="sRecordCompany" type="string"/>
           </element>
     </srcSchema>
D.
     <srcSchema>
           <element autopk="true" label="cdArchive" name="cdArchive">
                <attribute label="Artist" length="100" name="artist" type="string"/>
                <attribute label="Title" length="10f" name="title" type="string"/>
                <attribute label="Release Date" name="releaseDate" type="date"/>
                <attribute label="Record Company" length="50" name="recordCompany" type="string"/>
           </element>
     </srcSchema>
```

A. B. C. D.

Correct Answer: C



https://www.pass4itsure.com/9a0-389.html

2024 Latest pass4itsure 9A0-389 PDF and VCE dumps Download

QUESTION 5

A. runwf

B. mta

C. watchdog

D. wfserver

Correct Answer: A

Reference: https://docs.campaign.adobe.com/doc/archives/en/610/workflow-v6.1-en.pdf

9A0-389 Practice Test

9A0-389 Exam Questions

9A0-389 Braindumps