



CWNA-106^{Q&As}

Certified Wireless Network Administrator

Pass CWNP CWNA-106 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/cwna-106.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

What WLAN system feature is required to produce a scenario with the following configuration on a single access point?
(Choose 2)

1.

SSID = Guest / BSSID = AA:AA:AA:AA:AA:AA /

VLAN = 22 / Subnet = 192.168.22.0 / RF Channel = 6

2.

SSID = Corporate / BSSID = BB:BB:BB:BB:BB:BB /

VLAN = 33 / Subnet = 192.168.33.0 / RF Channel = 6 / User Type A

3.

SSID = Corporate / BSSID = BB:BB:BB:BB:BB:BB /

VLAN = 44 / Subnet = 192.168.44.0 / RF Channel = 6 / User Type B

- A. Multiple WLAN Profiles
- B. Call Admission Control
- C. Virtual Cell with SCA
- D. Access Categories
- E. User-based authentication
- F. Dual-radio AP hardware
- G. Integrated DHCP server

Correct Answer: AE

QUESTION 2

The IEEE 802.11a/n/ac physical layer technologies utilize the 5 GHz frequency band. What is true of the channels in this frequency spectrum?

- A. 14 channels are available worldwide.
- B. 11 channels are available worldwide.
- C. Regulatory domains worldwide require DFS and TPC in all these channels.
- D. DFS may be required in some regulatory domains on some channels.
- E. 802.11 channels are separated by 5 Mhz



Correct Answer: D

QUESTION 3

What facts are true regarding controllers and APs in a Split MAC architecture? (Choose 2)

- A. An IP tunnel is established between the AP and controller for AP management and control functions.
- B. Using centralized data forwarding, APs never tag Ethernet frames with VLAN identifiers or 802.1p CoS.
- C. With 802.1X/EAP security, the AP acts as the supplicant and the controller acts as the authenticator.
- D. Management and data frame types must be processed locally by the AP, while control frame types must be sent to the controller.
- E. In a distributed data forwarding model, the AP handles frame encryption and decryption.

Correct Answer: AE

QUESTION 4

What term describes the effect of increasing the intensity of an RF wave with an antenna by focusing the energy in a specific direction?

- A. Distributed Radiation
- B. Active Amplification
- C. Beam Compression
- D. Passive Gain
- E. RF Flooding

Correct Answer: D

QUESTION 5

You are selecting antennas for a WLAN operating in the 5 GHz frequency band. What specifications should be evaluated for an antenna before it is implemented in this WLAN system? (Choose 3)

- A. 802.11ad compatibility
- B. TPCsupport
- C. Impedance in Ohms
- D. Elevation Beamwidth
- E. Return Loss Rating



F. Operating Frequencies

Correct Answer: CDF

[Latest CWNA-106 Dumps](#)

[CWNA-106 VCE Dumps](#)

[CWNA-106 Exam Questions](#)