



A00-201^{Q&As}

SAS base programming exam

Pass SASInstitute A00-201 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/a00-201.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SASInstitute Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

The following SAS program is submitted:

```
libname sasdata `SAS-data-library`;

data test;

set sasdata.chemists (keep = job_code);

if job_code `chem3`

then description = `Senior Chemist`;

run;
```

The variable JOB_CODE is a character variable with a length of 6 bytes.

Which one of the following is the length of the variable DESCRIPTION in the output data set?

- A. 6 bytes
- B. 8 bytes
- C. 14bytes
- D. 200 bytes

Correct Answer: C

QUESTION 2

The following SAS program is submitted:

```
proc report data = sasuser.houses nowd headline headskip; column style price;

where price

title;

run;
```

Click the Exhibit button to view the output from the REPORT procedure.



Style	Price
RANCH	\$64,000
SPLIT	\$65,850
CONDO	\$80,050
RANCH	\$86,650
SPLIT	\$94,450
SPLIT	\$73,650
CONDO	\$79,350
TWOSTORY	\$55,850
RANCH	\$89,100
TWOSTORY	\$69,250
RANCH	\$34,550

Assuming that the PRICE variable is numeric, which one of the following completes the program and produces the output displayed in the exhibit?

- A. `define style / group `Style`; define price / mean `Price` format = dollar9.;`
- B. `define style / display `Style`; define price / across `Price` format = dollar9.;`
- C. `define style / display `Style`; define price / sum `Price` format = dollar9.;`
- D. `define style / order `Style`; define price / mean `Price` format = dollar9.;`

Correct Answer: C

QUESTION 3

The following SAS program is submitted:

```
data work.test;
array agents{4}$ 12 sales1 - sales4
run;
```

Which one of the following represents the variables that are contained in the output data set?

- A. SALES1, SALES2, SALES3, SALES4
- B. AGENTS1, AGENTS2, AGENTS3, AGENTS4
- C. None, the DATA step fails because the ARRAY statement can reference only numeric data.
- D. None, the DATA step fails because the ARRAY statement can reference only pre-existing variables.

Correct Answer: A



QUESTION 4

The following SAS program is submitted:

```
proc means data = sasuser.shoes;  
  
where product in ('Sandal', 'Slipper', 'Boot');  
  
run;
```

Which one of the following ODS statements completes the program and sends the report to an HTML file?

- A. ods html = 'sales.html';
- B. ods file = 'sales.html';
- C. ods file html = 'sales.html';
- D. ods html file = 'sales.html';

Correct Answer: D

QUESTION 5

Click the Exhibit button to view two reports.

Output we are getting		
Region	Subsidiary	Total Sales
Asia	Bangkok	\$1,996
	Bangkok	\$3,033
	Bangkok	\$3,230
	Bangkok	\$3,019
	Bangkok	\$5,389
	Seoul	\$60,712
	Seoul	\$11,754
	Seoul	\$116,333
	Seoul	\$4,978
	Seoul	\$149,013
	Seoul	\$997
	Seoul	\$20,448
	Seoul	\$78,234
	Tokyo	\$1,155

Output we want!		
Region	Subsidiary	Total Sales
Asia	Bangkok	\$16,667
	Seoul	\$442,409
	Tokyo	\$1,155



Assume permanent variable labels have been assigned. The following SAS program is submitted and produces the first report:

```
proc report data = sasuser.shoes nowd; column region subsidiary sales; define subsidiary / display; define region / group; define sales / sum;
```

Which one of the following corrects the program above to produce the second report shown in the exhibit?

- A. Define the variable SUBSIDIARY with a SUM usage.
- B. Define the variable SUBSIDIARY with a GROUP usage.
- C. Define the variable SUBSIDIARY with an ORDER usage.
- D. Define the variable SUBSIDIARY with an ACROSS usage.

Correct Answer: B

[Latest A00-201 Dumps](#)

[A00-201 PDF Dumps](#)

[A00-201 Braindumps](#)