



A00-201^{Q&As}

SAS base programming exam

Pass SASInstitute A00-201 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/a00-201.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SASInstitute Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

The following SAS program is submitted:

```
data work.totalsales (keep = monthsales{12});  
  
set work.monthlysales (keep = year product sales); array monthsales {12} ;  
  
do i=1 to 12;  
  
monthsales{i} = sales;  
  
end;  
  
run;
```

The data set named WORK.MONTHLYSALES has one observation per month for each of five years for a total of 60 observations.

Which one of the following is the result of the above program?

- A. The program fails execution due to data errors.
- B. The program fails execution due to syntax errors.
- C. The program executes with warnings and creates the WORK.TOTALSALES data set.
- D. The program executes without errors or warnings and creates the WORKTOTALSALES data set.

Correct Answer: B

QUESTION 2

The following SAS program is submitted;

```
data work.month; date = put('\13mar2000'\d,ddmmw10.); run;
```

Which one of the following represents the type and length of the variable DATE in the output data set?

- A. numeric, 8 bytes
- B. numeric, 10bytes
- C. character, 8 bytes
- D. character, 10 bytes

Correct Answer: D

**QUESTION 3**

The following SAS program is submitted and reads 100 records from a raw data file:

```
data work.total;  
infile `file-specification` end = eof;  
input name $ salary;  
totsal + salary;  
  
run;
```

Which one of the following IF statements writes the last observation to the output data set?

- A. if end = 0;
- B. if eof = 0;
- C. if end = 1;
- D. if eof = 1;

Correct Answer: D

QUESTION 4

The following SAS program is submitted:

```
Data_null;  
set old (keep = prod sales 1 sales2);  
file `file-specification`;  
put sales1 sales2; run;
```

Which one of the following default delimiters separates the fields in the raw data file created?

- A. : (colon)
- B. (space)
- C. , (comma)
- D. ; (semicolon)

Correct Answer: B



QUESTION 5

The following SAS program is submitted:

```
data work.flights;
destination = `CPH`;
select(destination);
when(\\LHR\\) city = `London`;
when(\\CPH\\) city = `Copenhagen`;
otherwise;
end;
run;
```

Which one of the following is the value of the CITY variable?

- A. London
- B. Copenh
- C. Copenhagen
- D. ` `(missing character value)

Correct Answer: B

[Latest A00-201 Dumps](#)

[A00-201 Study Guide](#)

[A00-201 Exam Questions](#)