



# A00-211<sup>Q&As</sup>

SAS Base Programming for SAS 9

## Pass SASInstitute A00-211 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/a00-211.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by SASInstitute  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

Which statement specifies that records 1 through 10 are to be read from the raw data file customer.txt?

- A. infile '\\customer.txt\\' eof=10;
- B. infile '\\customer.txt\\' obs=10;
- C. infile '\\customer.txt\\' obs=10; D. infile '\\customer.txt\\' obs=1-10;

Correct Answer: D

---

**QUESTION 2**

Which program will create a comma delimited raw data file (CSV)?

```
proc print data=WORK.TEST file="e:\test.csv";  
run;
```

A.

B. 

```
ods csvall fil="e:\test.csv";  
proc print data=WORK.TEST;  
run;  
ods csvall close;
```

C. 

```
open csv file="e:\test.csv";  
proc print data=WORK.TEST;  
run;  
close csv;
```

D. 

```
ods file="e:\test.csv";  
proc print data=WORK.TEST;  
run;  
ods file close;
```

B. C. D.

Correct Answer: B

**QUESTION 3**

What is the purpose of the MISSOVER option on the INFILE statement?

- A. It prevents SAS from loading a new record when the end of the current record is reached.
- B. It enables SAS to scan the input data records until the character string that is specified in the @`character-string` expression is found.
- C. It enables SAS to continue to read the next input data record if it does not find values in the current input line for all the variables in the statement.
- D. It causes the DATA step to stop processing if an INPUT statement reaches the end of the current record without finding values for all variables in the statement.

Correct Answer: A

---

**QUESTION 4**

The contents of the raw data file NAMENUM are listed below:

-----10-----20-----30

Joe xx

The following SAS program is submitted:

```
data test;  
infile \"namenum\";  
input name $ number;  
run;
```

Which one of the following is the value of the NUMBER variable?

- A. xx
- B. Joe
- C. . (missing numeric value)
- D. The value can not be determined as the program fails to execute due to errors.

Correct Answer: C

---

**QUESTION 5**



By default, which variables and data values are used to calculate statistics in the MEANS procedure?

- A. all non-missing numeric variable values
- B. all missing and non-missing numeric variable values and numbers stored as character variables.
- C. all non-missing numeric variable values and numbers stored as character variables
- D. all missing and non-missing numeric variable values

Correct Answer: A

[A00-211 VCE Dumps](#)

[A00-211 Exam Questions](#)

[A00-211 Braindumps](#)