



A2090-303^{Q&As}

Assessment: IBM InfoSphere DataStage v9.1 Assessment

Pass IBM A2090-303 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/a2090-303.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

In a Transformer expression for a stage variable, there is a nullable input column. Assume the legacy NULL processing option is turned off. What happens when a row is processed that contains NULL in that input column?

- A. The job aborts.
- B. The row is rejected.
- C. NULL is written to the stage variable.
- D. The value written to the stage variable is undetermined.

Correct Answer: C

QUESTION 2

When using Runtime Column Propagation, which two stages require a schema file? (Choose two.)

- A. Peek stage
- B. Pivot stage
- C. Column Import stage
- D. DB2 Connector stage
- E. Sequential File stage

Correct Answer: CE

QUESTION 3

Which statement is true about table definitions created in DataStage Designer?

- A. By default, table definitions created in DataStage Designer are visible to other Information Server products.
- B. Table definitions created in DataStage Designer are local to DataStage and cannot be shared with other Information Server products.
- C. When a table definition is created in one DataStage project, it is automatically available in other DataStage projects, but not outside of DataStage.
- D. Table definitions created in DataStage Designer are not by default available to other Information Server products, but they can be shared with other Information Server products.

Correct Answer: D



QUESTION 4

What stage allows for more than one reject link?

- A. Join stage
- B. Merge stage
- C. Lookup stage
- D. Funnel stage

Correct Answer: B

QUESTION 5

A job using a three-node configuration file writes to a target Sequential File stage. The target Sequential File stage has been set to write to two different sequential files. How many instances of the Sequential File stage will run?

- A. One instance.
- B. Two instances.
- C. Three instances.
- D. Four instances.

Correct Answer: B

[A2090-303 Study Guide](#)

[A2090-303 Exam Questions](#)

[A2090-303 Braindumps](#)