



A2090-544^{Q&As}

Assessment: DB2 9.7 Advanced DBA for LUW - Assessment

Pass IBM A2090-544 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/a2090-544.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Given INTRA_PARALLEL is OFF, average row length is 900 bytes, and temporary table cardinality is 1000, which setting would prevent a SORTHEAP overflow when the temporary table is sorted?

- A. SORTHEAPTHRES 10000K, SORTHEAP 250K
- B. SORTHEAPTHRES 10000K
- C. SORTHEAP AUTOMATIC, SHEAPTHRES 10000K
- D. SORTHEAP AUTOMATIC, SHEAPTHRES 0

Correct Answer: D

QUESTION 2

A database named MYDB is created in instance DB2INST1, which has been configured to use KRB_SERVER_ENCRYPT authentication. If a client attempting to access database MYDB does not support Kerberos authentication, which authentication method will be used to establish a connection?

- A. SERVER_ENCRYPT
- B. SERVER
- C. KRB_SERVER_ENCRYPT
- D. CLIENT

Correct Answer: A

QUESTION 3

Which factor should influence your selection of distribution key(s)?

- A. The distribution key(s) should include the most frequently accessed XML column(s).
- B. The distribution key(s) should include the longest column(s).
- C. The distribution key(s) should include column(s) with the smallest number of distinct values.
- D. The distribution key(s) should include the most frequently joined column(s).

Correct Answer: D

QUESTION 4

A database called PRODDB has a weekly full backup taken on Saturday, non-cumulative (delta) backups



taken daily, and a midweek cumulative backup that is taken on Wednesday. A database crash occurs on a Saturday prior to the full backup being taken.

What is the fastest way to restore the database?

- A. RESTORE DB proddb INCREMENTAL AUTOMATIC TAKEN AT (Friday);
- B. RESTORE DB proddb TAKEN AT (Saturday);RESTORE DB proddb INCREMENTAL AUTOMATIC TAKEN AT (Monday);RESTORE DB proddb INCREMENTAL AUTOMATIC TAKEN AT (Tuesday);RESTORE DB proddb INCREMENTAL AUTOMATIC TAKEN AT (Wednesday);RESTORE DB proddb INCREMENTAL AUTOMATIC TAKEN AT (Thursday);RESTORE DB proddb INCREMENTAL AUTOMATIC TAKEN AT (Friday);
- C. RESTORE DB proddb TAKEN AT (Friday);RESTORE DB proddb INCREMENTAL AUTOMATIC TAKEN AT (Saturday);
- D. RESTORE DB proddb TAKEN AT (Saturday);RESTORE DB proddb INCREMENTAL AUTOMATIC TAKEN AT (Friday);

Correct Answer: A

QUESTION 5

When an agent that is connected to the database finishes its work of successfully processing a query, what happens to the agent?

- A. It terminates immediately.
- B. It remains active as long as the MAXAGENTS setting is not exceeded.
- C. It is placed in the agent pool if the connection is terminated.
- D. It automatically releases the database connection and returns to the pool.

Correct Answer: C

[Latest A2090-544 Dumps](#)

[A2090-544 Practice Test](#)

[A2090-544 Study Guide](#)