



A2090-544^{Q&As}

Assessment: DB2 9.7 Advanced DBA for LUW - Assessment

Pass IBM A2090-544 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/a2090-544.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which description is correct when discussing the DB2_MEM_TUNING_RANGE registry variable?

- A. It is recommended to set this variable only when the Self-Tuning Memory Manager (STMM) is disabled.
- B. It is recommended to set this variable only when using STMM, when DATABASE_MEMORY is set to AUTOMATIC, and if insufficient system memory problems are occurring.
- C. It is recommended that this variable be enabled at all times in order to prevent DB2 from taking too much physical memory.
- D. It is recommended that this variable be used to set the maximum percentage of memory that DB2 can use on the system.

Correct Answer: B

QUESTION 2

Which command would be used to obtain the name of the first active log file for a database with log retain enabled?

- A. GET CURRENT ACTIVE LOGFILE
- B. LIST LOGFILES
- C. GET DATABASE CONFIGURATION
- D. LIST INDOUBT TRANSACTIONS

Correct Answer: C

QUESTION 3

Your UNIX system administrator has indicated that there appears to be a lot of I/O wait time associated with your database, which is stored in a 7+p RAID array. An investigation reveals the following information:

DB2_PARALLEL_IO=*

Tablespace with ID 7 has a single container and is dedicated to the largest table. It has a page size of 16K, an extent size of 32, and a prefetch size of 64.

Which setting would optimize I/O for the largest table?

- A. DB2_PARALLEL_IO=7:64
- B. DB2_PARALLEL_IO=7:7
- C. DB2_PARALLEL_IO=7:16



D. DB2_PARALLEL_IO=7:32

Correct Answer: B

QUESTION 4

Which database configuration parameters can be used to limit the amount of memory allocated for the LOAD utility?

- A. UTIL_HEAP_SZ and STAT_HEAP_SZ
- B. LOAD_HEAP_SZ and DATABASE_MEMORY
- C. LOAD_HEAP_SZ and STAT_HEAP_SZ
- D. UTIL_HEAP_SZ and DATABASE_MEMORY

Correct Answer: D

QUESTION 5

If your DB2 server is not responding (hung), and you cannot run DB2 commands from the Command Line Processor, which utility can be used to list the applications currently connected to the database MYDB?

- A. db2dart
- B. db2apptrk
- C. db2acsutil
- D. db2pd

Correct Answer: D

[Latest A2090-544 Dumps](#)

[A2090-544 VCE Dumps](#)

[A2090-544 Study Guide](#)