



# AACE-PSP<sup>Q&As</sup>

Planning & Scheduling Professional (PSP)

## Pass AACE International AACE-PSP Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/aace-psp.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by AACE International Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

If all other work proceeds according to the Baseline plan, how many times will the critical path change?

**Small Tower Crane**

Typical capacity for a Small Crane

Maximum Load 5 tons

Minimum Load 1.5 tons

| Operation         | Time (in minutes) |
|-------------------|-------------------|
| Sling Up          | 5                 |
| Hoist Up          | 4                 |
| Discharge         | 3                 |
| Clear Unload Area | 3                 |
| Hoist Down        | 2                 |

- A. 2.
- B. 1.
- C. Does not change.
- D. 3.

Correct Answer: C

---

**QUESTION 2**

Management has determined the need to release the product 20 days earlier than planned. What tasks need to be expedited?



### PSP Scenario #4

Product Development has established the following items with the duration required for each need to be accomplished in order for the release of a new product. Once Product Testing is complete, both Release for Manufacture and Drafting of a product manual can proceed. Proofing and correction of the manual is required prior to printing. Manufacturing and printing of the manual are required to package and make the product available.

| ID | Activity Description     | Duration | Predecessors |
|----|--------------------------|----------|--------------|
| A  | Complete Product Testing | 30       | -            |
| B  | Release for Manufacture  | 0        | A            |
| C  | Draft Product Manual     | 20       | A            |
| D  | Manufacture Product      | 60       | B            |
| E  | Proof Product Manual     | 10       | C            |
| F  | Print Project Manual     | 20       | E            |
| G  | Package Product          | 10       | D, F         |
| H  | Product Available Date   | 0        | G            |

- A. Drafting and Proofing the Manual.
- B. Packaging only.
- C. Printing the Manual.
- D. Testing, Manufacturing and Packaging.

Correct Answer: D

### QUESTION 3

When resource leveling craft labor for a critical path schedule, the scheduler

- A. Must consider breaks in continuity of work for subcontractors, thereby possibly incurring additional subcontractor mobilization and demobilization costs.
- B. Can depend on the results of the resource leveling operation to reflect a useful realignment of all schedule activities without further analysis.
- C. Need not consider its effects, as it is a theoretical concept with limited application to construction projects.
- D. Need only consider the non-union crafts persons.

Correct Answer: B



#### QUESTION 4

Which of the following is NOT input data to the construction planning process?

- A. Input from the owner
- B. The contract
- C. Bonding capacity of subcontractors
- D. Input from the contractor

Correct Answer: C

---

#### QUESTION 5

Which of the following will NOT affect the total float calculation of a non-resource leveled schedule?

- A. Multiple calendars.
- B. Start and finish constraints.
- C. Preferential logic.
- D. Front end loading.

Correct Answer: D

[Latest AACE-PSP Dumps](#)

[AACE-PSP Practice Test](#)

[AACE-PSP Exam Questions](#)