



AAPC-CPC^{Q&As}

Certified Professional Coder (CPC) Exam

Pass AAPC AAPC-CPC Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/aapc-cpc.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by AAPC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A 42-year-old male is diagnosed with a left renal mass. Patient is placed under general anesthesia and in prone position. A periumbilical incision is made and a trocar inserted. A laparoscope is inserted and advanced to the operative site. The left kidney is removed, along with part of the left ureter. What CPT?code is reported for this procedure?

- A. 50220
- B. 50548
- C. 50543
- D. 50546

Correct Answer: D

QUESTION 2

A patient suffers a ruptured infrarenal abdominal aortic aneurysm requiring emergent endovascular repair. An aorto-aortic tube endograft is positioned in the aorta and a balloon dilation is performed at the proximal and distal seal zones of the endograft. The balloon angioplasty is performed for endoleak treatment.

What CPT?code does the vascular surgeon use to report the procedure?

- A. 34702
- B. 34701
- C. 34707
- D. 34708

Correct Answer: A

QUESTION 3

A patient is diagnosed with diabetic polyneuropathy.

Using ICD-10-CM coding guidelines, what ICD-10-CM coding is reported?

- A. E10.42
- B. E11.9, G62.9
- C. E10.9, G62.9
- D. E11.42

Correct Answer: D

**QUESTION 4**

View MR 006399

MR 006399

Operative Report

Preoperative Diagnosis: Chronic otitis media in the right ear

Postoperative Diagnosis: Chronic otitis media in the right ear

Procedure: Eustachian tube inflation

Anesthesia: General

Blood Loss: Minimal

Findings: Serous mucoid fluid

Complications: None

Indications: The patient is a 2-year-old who presented to the office with chronic otitis media refractory to medical management. The treatment will be eustachian tube inflation to remove the fluid. Risks, benefits, and alternatives were reviewed

with the family, which include general anesthetic, bleeding, infection, tympanic membrane perforation, routine tubes, and need for additional surgery. The family understood these risks and signed the appropriate consent form.

Procedure in Detail: After the patient was properly identified, he was brought into the operating room and placed supine. The patient was prepped and draped in the usual fashion. General anesthesia was administered via inhalation mask,

and after adequate sedation was achieved, a medium-sized speculum was placed in the right ear and cerumen was removed atraumatically using instrument with operative microscope. The tube is dilated, an incision is made to the tympanum

and thick mucoid fluid was suctioned. The patient was awakened after having tolerated the procedure well and taken to the recovery room in stable condition.

What CPT coding is reported for this case?

A. 69420-RT

B. 69436-RT

C. 69433-RT

D. 69421-RT

Correct Answer: D

QUESTION 5

In rhinoplasty:



- A. The nose is reconstructed
- B. The brow is reconstructed
- C. The lips are reconstructed
- D. The chin is reconstructed

Correct Answer: A

[Latest AAPC-CPC Dumps](#)

[AAPC-CPC PDF Dumps](#)

[AAPC-CPC Braindumps](#)