



ACCP-V6.2^{Q&As}

Aruba Certified Clearpass Professional v6.2

Pass Aruba ACCP-V6.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/accp-v6-2.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Aruba
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What types of files are stored in the Local Shared Folders database in Clearpass? (Choose 2)

- A. Backup Files
- B. Software image
- C. Log files
- D. Generated Reports
- E. Device fingerprint dictionaries

Correct Answer: AC

QUESTION 2

UDP Port 3799 is used for RADIUS CoA (RFC 3576). This port has been blocked by a firewall between a NAD device and ClearPass. Which of the following is true?

- A. RADIUS Authentications will fail since the NAD won't be able to reach the ClearPass server.
- B. RADIUS Authentications will not happen since the NAD won't be able to reach the ClearPass server.
- C. RADIUS Authentication will succeed, but Post-Authentication Disconnect-Requests from ClearPass to the Controller will not be delivered.
- D. RADIUS Authentication will succeed, but RADIUS Access-Accept messages from ClearPass to the Controller for Change of Role will not be delivered.
- E. During RADIUS authentication, certificate exchange between the NAD and Clearpass will fail.

Correct Answer: C

QUESTION 3

What is the Onboard license usage based on?

- A. Each user connected to the provisioning SSID uses 1 Onboard license.
- B. Each user authenticated using the Onboard credential uses 1 Onboard license.
- C. Each user provisioned using the Onboard process uses 1 Onboard license.
- D. Each user that has the OnGuard agent downloaded uses 1 Onboard license.
- E. Each user that downloads the Onboard application to their iOS device uses 1 Onboard license.

Correct Answer: C



QUESTION 4

Refer to the following Service configuration: A user connects for the first time to an Aruba access point wireless SSID named "pod8wireless- guest-SSID". The SSID has web login authentication with RADIUS MAC authentication enabled and ClearPass is the authentication server. The user hasn't yet launched their web browser.

The screenshot shows the 'Reorder Services' configuration page. A table lists services in order, with 'pod8wired' highlighted. Three callout boxes show the service rules for 'pod8wired', 'pod8-mac auth', and 'pod8wireless'.

Order	Name
1	[Policy Manager Admin Network Service]
2	pod8wired
3	pod8-mac auth
4	pod8wireless

Service Rule for pod8wired:
((Radius:IETF:NAS-Port-Type EQUALS Ethernet (15))
AND (Radius:IETF:Service-Type BELONGS_TO Login-User (1), Framed-User (2), Authenticate-Only (8)))
AND (Connection:Protocol EQUALS RADIUS)

Service Rule for pod8-mac auth:
((Radius:IETF:NAS-Port-Type BELONGS_TO Ethernet (15), Wireless-802.11 (19))
AND (Radius:IETF:Service-Type BELONGS_TO Login-User (1), Call-Check (10))
AND (Connection:Client-Mac-Address EQUALS %{Radius:IETF:UserName}))
AND (Connection:Protocol EQUALS RADIUS)

Service Rule for pod8wireless:
((Radius:IETF:NAS-Port-Type EQUALS Wireless-802.11 (19))
AND (Radius:IETF:Service-Type BELONGS_TO Login-User (1), Framed-User (2), Authenticate-Only (8))
AND (Radius:Aruba:Aruba-Location-Id EXISTS)
AND (Radius:Aruba:Aruba-Essid-Name EXISTS))
AND (Connection:Protocol EQUALS RADIUS)

Which service will be triggered?

- A. pod8wired
- B. pod8-mac auth
- C. pod8wireless
- D. [Policy Manager Admin Network Service]
- E. No service will be triggered

Correct Answer: B

QUESTION 5

What must be configured to enable RADIUS authentication with Clearpass on a network access device (NAD)? (Choose 2)

- A. An NTP server needs to be set up on the NAD.



- B. A bind username and bind password must be provided.
- C. A shared secret must be configured on the Clearpass server and NAD.
- D. The Clearpass server must have the network device added as a valid NAD.
- E. The Clearpass server certificate must be installed on the NAD.

Correct Answer: CD

[ACCP-V6.2 PDF Dumps](#)

[ACCP-V6.2 Exam
Questions](#)

[ACCP-V6.2 Braindumps](#)