



# ACLS<sup>Q&As</sup>

Advanced Cardiac Life Support

## Pass Test Prep ACLS Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/acls.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Test Prep  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

T/F: Defibrillation "jump starts" the heart?

A. False

B. True

Correct Answer: A

Defibrillation actually produces temporary asystole.

---

### QUESTION 2

#### SIMULATION

What is meant by the following two terms as they relate to blood pressure: systolic and diastolic.

A. Systolic is the pressure exerted against the walls of the artery when the left ventricle contracts. Diastolic is the pressure exerted against the walls of the artery when the left ventricle is at rest.

Correct Answer: A

---

### QUESTION 3

#### SIMULATION

Describe the function of the left ventricle.

A. The left ventricle pumps blood to the rest of the body.

Correct Answer: A

---

### QUESTION 4



This patient suddenly collapsed and is poorly responsive. The patient has a weak carotid pulse. A cardiac monitor, oxygen, and an intravenous line have been initiated. The code cart with all drugs and pF transcutaneous pacer is immediately available. Next you would

- A. Initiate dopamine at 10 to 20 ug/kg per minute and titrate heart rate
- B. Give atropine 1 mg IV up to a total dose of 3 mg
- C. Initiate epinephrine at 2 to 10 ug per minute and titrate heart rate
- D. Initiate dopamine at 2 to 10 ug/kg per minute and titrate heart rate
- E. Begin transcutaneous pacing

Correct Answer: E

#### QUESTION 5

A patient is in pulseless ventricular tachycardia. Two shocks and one dose of epinephrine have been given. The next drug/dose to anticipate to administer is

- A. Vasopressin 40 U
- B. Amiodarone 300 mg
- C. Amiodarone 150 mg
- D. Epinephrine 3 mg
- E. Lidocaine 0.5 mg/kg

Correct Answer: B

[ACLS Practice Test](#)

[ACLS Exam Questions](#)

[ACLS Braindumps](#)