



ACMP_6.3^{Q&As}

Aruba Certified Mobility Professional 6.3

Pass Aruba ACMP_6.3 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/acmp-6-3.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Aruba
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

A Remote AP provisioned in "Split-Tunnel" Forwarding mode has which of the following characteristics?

- A. Local traffic first goes to the controller and is then spilt back to the local network.
- B. User Traffic is CPSec encrypted before it is sent to the controller.
- C. The user role must have a "Permit" statement in order to locally bridge the traffic.
- D. The user role must have a "permit dst-nat" statement to locally bridge the traffic.
- E. The RAP uses UDP 4500 to send traffic to the controller.

Correct Answer: E

QUESTION 2

With Fast-Failover disabled, to which IP address should the Aruba AP terminate its GRE tunnel for layer 2 controller redundancy to work and to support failover of access points?

- A. VRRP IP address
- B. management IP of an Aruba controller
- C. management IP of the backup Aruba controller
- D. HSRP IP address
- E. Loopback IP address of backup Aruba controller

Correct Answer: A

QUESTION 3

Which parameter(s) does a Master controller use to determine where a provisioned AP should terminate its GRE tunnel?

- A. the IP address of the AP
- B. the MAC address of the AP
- C. the IP address of the switch nearest to the AP
- D. the name and group settings of the AP
- E. the VLAN the AP is attached to

Correct Answer: D

**QUESTION 4**

The screen captures above show the 802.1X authentication profile and AAA profile settings for a VAP.

AAA Profile > default

Show Reference

Save As

Reset

Initial role	login
MAC Authentication Default Role	guest
802.1X Authentication Default Role	employee
L2 Authentication Fail Through	<input type="checkbox"/>
User idle timeout	<input type="checkbox"/> Enable seconds <input type="text"/>
RADIUS Interim Accounting	<input type="checkbox"/>
User derivation rules	--NONE--
Wired to Wireless Roaming	<input checked="" type="checkbox"/>
SIP authentication role	--NONE--
Device Type Classification	<input checked="" type="checkbox"/>
Enforce DHCP	<input type="checkbox"/>

802.1X Authentication Profile > default

Show Reference

Save As

Reset

Basic

Advanced

Max authentication failures	<input type="text" value="0"/>
Enforce Machine Authentication	<input checked="" type="checkbox"/>
Machine Authentication: Default Machine Role	guest
Machine Authentication: Default User Role	guest
Reauthentication	<input type="checkbox"/>
Termination	<input type="checkbox"/>
Termination EAP-Type	<input type="checkbox"/> eap-tls <input type="checkbox"/> eap-peap
Termination Inner EAP-Type	<input type="checkbox"/> eap-mschapv2 <input type="checkbox"/> eap-gtc

If machine authentication passes and user authentication fails, which role will be assigned?

- A. employee
- B. guest
- C. contractor



D. logon

E. no role is assigned

Correct Answer: B

QUESTION 5

Which of the following could be used to set a user's post-authentication role or VLAN association? (Choose two)

A. AAA default role for authentication method

B. Server Derivation Rule

C. Vendor Specific Attributes

D. AP Derivation Rule

E. The Global AAA profile

Correct Answer: BC

[ACMP_6.3 VCE Dumps](#)

[ACMP_6.3 Study Guide](#)

[ACMP_6.3 Braindumps](#)