



# ACMP\_6.4<sup>Q&As</sup>

Aruba Certified Mobility Professional 6.4

## Pass Aruba ACMP\_6.4 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.pass4itsure.com/acmp\\_6-4.html](https://www.pass4itsure.com/acmp_6-4.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Aruba  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

A port firewall policy is applied to a trunk port that denies controller access. An "allow all" VLAN firewall policy is applied to VLAN 33 on the same port. A user connected to VLAN 33 on that port attempts to gain access to the controller. Which of the following statements is true?

- A. The Port policy is applied, therefore no controller access
- B. The VLAN policy is applied, then the port policy, therefore no controller access
- C. The VLAN policy is applied, therefore access to the controller is allowed
- D. You cannot place a firewall policy on a Ports VLAN when the Port already has a policy, therefore no controller access
- E. When locally connected to a controller's port you always have controller access

Correct Answer: C

---

**QUESTION 2**

When direct consoled to an AP, what is the command sequence to factory default the AP and re-bootstrap?

- A. setenv bootstat init
- B. setenv master init, boot
- C. purge, save, boot
- D. init, save, boot
- E. printenv, purge, boot

Correct Answer: C

---

**QUESTION 3**

A university, has 2 departments. Department 1 has its own mobility domain with one controller. Department 2 has multiple controllers configured in a second domain. The university is planning on offering a new application and needs users to be able to roam between both mobility domains.

What is the best way to accomplish this?

- A. The 2 existing domains should be left as they are. A 3rd mobility domain should then be created and all 3 controllers need to be added to it
- B. Merge the controllers into the same mobility domain
- C. The IP subnets of all controllers need to be configured to match



D. This cannot be accomplished

E. Create a new domain between a department 1 controller and one of the department 2 controllers

Correct Answer: B

---

#### QUESTION 4

A Valid client laptop is attempting to associate to a Rogue AP. The AM in proximity creates a Tarpit. What are the two mechanisms that the AM can utilize to Tarpit?(Choose two)

A. Fake client's BSSID

B. Fake SSID

C. Fake Channel

D. Fake BSSID

E. Fake ESSID

Correct Answer: CD

---

#### QUESTION 5

Which of the following commands is most useful in showing the traffic of an individual user?

A. show datapath session table

B. show acl hits

C. show rights

D. show firewall

E. show traffic client

Correct Answer: A

---

[ACMP 6.4 VCE Dumps](#)

[ACMP 6.4 Practice Test](#)

[ACMP 6.4 Study Guide](#)