



AD0-E106^{Q&As}

Adobe Experience Manager Dev/Ops Engineer

Pass Adobe AD0-E106 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ad0-e106.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Adobe
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What supported web server should a DevOps Engineer use when setting up the dispatcher version 4.3.1 in a Unix environment?

- A. Nginx 1.14
- B. Apache 2.0
- C. IIS 7.5
- D. Apache 2.4

Correct Answer: D

Reference: <https://docs.adobe.com/content/help/en/experience-manager-dispatcher/using/getting-started/release-notes.html>

QUESTION 2

Which transportUri should be used to configure a Flush Agent for a dispatcher listening on localhost port 8000?

- A. <http://localhost:8000/dispatcher/invalidate.cache>
- B. <http://localhost:8000/invalidate.cache>
- C. <http://localhost:8000/dispatcher/cache.invalidate>
- D. <http://localhost:8000/bin/receive>

Correct Answer: B

Reference: <https://helpx.adobe.com/experience-manager/6-3/sites/deploying/using/replication.html>

QUESTION 3

What is the role of the External Login Module when setting up LDAP Authentication with AEM?

- A. It defines which Identity Provider and Sync Handler to use.
- B. It defines how the Identity Provider users and groups will be synchronized with the repository.
- C. It invokes JMX syncing of users.
- D. It defines how users are retrieved from the LDAP server.

Correct Answer: A

Reference: <https://helpx.adobe.com/experience-manager/6-3/sites/administering/using/ldapconfig.html#ConfigureLDAPoverSSL>

**QUESTION 4**

In addition to a manual start, what two triggers can a DevOps Engineer define to start the CI/CD pipeline? (Choose two.)

- A. Scheduled start
- B. Offline start
- C. Offsite start
- D. On Git changes
- E. Data store changes

Correct Answer: AD

Reference: <https://docs.adobe.com/content/help/en/experience-manager-cloud-manager/using/how-to-use/configuring-pipeline.html>

QUESTION 5

During security tests it becomes apparent that AEM specific paths were accessible on the publish instance, which should not be accessible to the public.

What is the best practice configuration on a publish dispatcher instance?

- A. /0001 { /type "deny" /glob "/system/*" }
- B. /0001 { /type "deny" /glob "*" }
- C. /0001 { /type "deny" /url "/system/*" }
- D. /0001 { /type "deny" /url "/r/*" }

Correct Answer: D

[Latest AD0-E106 Dumps](#)

[AD0-E106 VCE Dumps](#)

[AD0-E106 Brindumps](#)