



AD0-E106^{Q&As}

Adobe Experience Manager Dev/Ops Engineer

Pass Adobe AD0-E106 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ad0-e106.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Adobe
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which type of backup should be performed to reduce the risk of a corrupted index?

- A. Online backup when indexing is disabled
- B. Offline backup when AEM is not running
- C. Tape backup when the repository is in read-only mode
- D. Snapshot backup when the repository is paused

Correct Answer: A

QUESTION 2

A DevOps Engineer is configuring the Dispatcher to connect with AEM over SSL, and must have specific properties in the dispatcher.any file.

What must be set in the dispatcher.any file?

- A. The/renders item includes a property named secure of value 1.
- B. The/renders item includes a property named secure of value 0.
- C. The/renders item includes a property named ssl of value true.
- D. The/virtualhosts item includes a property named ssl of value true.

Correct Answer: B

Reference: <https://docs.adobe.com/content/help/en/experience-manager-dispatcher/using/configuring/dispatcher-ssl.html>

QUESTION 3

A DevOps Engineer is deploying an AEM environment in a private network.

How can the DevOps Engineer restrict other clients or applications from flushing the cache?

- A. Set up client certificate authentication in the dispatcher configuration
- B. Set permissions on the publish instance by using Access Control Lists to allow the publish instance private IPs
- C. The allowedClients section in the dispatcher configuration should only allow the publish instances private IPs
- D. Configure the /filter section of the dispatcher configuration with an allow rule to make sure the correct client's private IPs are allowed to flush the cache

Correct Answer: A

**QUESTION 4**

A DevOps Engineer finds that customers are experiencing long response times.

It is unclear which responses are slow.

The cache hit ratio is low.

Many requests are served from the publish instance.

What should the DevOps Engineer use to analyze the issue?

A. rlog.jar to analyze dispatcher.log

B. rlog.jar to analyze request.log

C. jtail.jar to analyze audit.log

D. jtail.jar to analyze access.log

Correct Answer: B

QUESTION 5

According to Adobe best practices, how should a DevOps Engineer tailor the OSGi service configurations depending on the type of environment?

A. Leverage configuration files in runmode dedicated folder

B. Leverage multiple content packages for each environment

C. Use environment variables to identify the instance and environment type, then load the appropriate configuration files accordingly

D. Provide default configuration in the content package, and apply the differences using the OSGi console

Correct Answer: A

[AD0-E106 PDF Dumps](#)

[AD0-E106 VCE Dumps](#)

[AD0-E106 Brindumps](#)