



AD0-E308^{Q&As}

Adobe Campaign Classic Developer

Pass Adobe AD0-E308 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ad0-e308.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Adobe
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A client wants to use Amazon Redshift to install Adobe Campaign in a hybrid AWS environment to hold all customer data.

Which step must be taken to utilize this type of data?

- A. Adobe Campaign does NOT support Redshift.
- B. Adobe Campaign tables must be created in the Redshift database.
- C. ODBC Native SQL drivers must be installed to access a Redshift database.
- D. FDA module must be installed to access a Redshift database.

Correct Answer: B

QUESTION 2

What is NOT a prerequisite for Adobe Campaign Server installation on a Windows Server?

- A. Tomcat
- B. Internet Information Service (IIS)
- C. SQL Client
- D. Java

Correct Answer: A

Reference: <https://helpx.adobe.com/campaign/kb/compatibility-matrix.html>

QUESTION 3

Which of the following is a server command?

- A. nlserver pause [@]
- B. nlserver begin [@]
- C. nlserver stop [@]
- D. nlserver cancel [@]

Correct Answer: C

Reference: <https://github.com/AdobeDocs/campaign-classic.en/blob/master/help/production/using/usualcommands.md>



QUESTION 4

How should a Campaign developer prepare an encrypted flat file for use with a campaign workflow as the starting population?

- A. Specify the public and private keys as the options under Administration > Platform > Options.
- B. No action is needed; encrypted flat files are automatically detected and decrypted by Adobe Campaign.
- C. No action is needed. Encrypted data should be stored as encrypted.
- D. Specify a pre-processing decryption command in the Data Loading (file)activity.

Correct Answer: D

Reference: <https://docs.adobe.com/content/help/en/campaign-classic/using/automating-with-workflows/general-operation/importing-data.html>

QUESTION 5

A client has a user created specifically for making API calls. The client does NOT want to create a new session token for each call.

How should the Campaign developer configure the operator to accomplish this request?

- A. Enable trusted IP
- B. Forbid web access
- C. Use LDAP integration
- D. Use Adobe ID login

Correct Answer: B

[Latest AD0-E308 Dumps](#)

[AD0-E308 VCE Dumps](#)

[AD0-E308 Exam Questions](#)