AD0-E706^{Q&As}

Adobe Certified Expert-Magento Commerce Cloud Developer

Pass Adobe AD0-E706 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/ad0-e706.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Adobe
Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

365 Days Free Update

800,000+ Satisfied Customers

QUESTION 1

After contacting Magento Support you were advised to permanently enable the Redis disable_locking

option.

How do you implement this on a Production environment?

A. Add disable_locking =true into thephp.ini file in the Magento project root.

B. Modify the .magento,app,yaml file to add the REDIS_SESSION_CONFIGURATION environment variable.

C. Add the SESSION_CONFIGURATION environment variable into , magento,env,yaml with the correct value.

D. In app/etc./env.php,add disable_locking: True inside the Redis session configuration block.

Correct Answer: C

QUESTION 2

You added a grunt autoprefixer command, which adds CSS vendorprefix like ?ebkit- and ?oz- to CSS files generated by the setup:static-connect: deploy command.

```
hooks:
    build: |
        npm install
        grunt autoprefixer
        php ./vendor/bin/ece-tools build:generate
        php ./vendor/bin/ece-tools build:transfer
    deploy: |
        php ./vendor/bin/ece-tools deploy
```

After deployment you still see CSS files without prefixes. The hooks section in the .magento. app. Yaml file is:

Considering static assets are being generated on the build phase why are CSS prefixes missing?

A. Custom commands can be run only on the deploy phase

B. CSS vendor prefixes must be added to CSS files locally and committed as part of a theme

C. The static assets were not generated yet when the grunt command ran

D. The custom command was run before static assets were transferred into the init directory

Correct Answer: C

QUESTION 3

Your project is in a phase where the locales that will be used are still being determined. You need toconfigure your

project in a manner that will allow them to be changed dynamically.

How can you accomplish this?

A. Remove the system/default/general/locale configuration from the app/etc/config.php file

B. Configure SCD_ON_DEMAND to true in the .magento.env.yaml file

C. Run the command vendor/bin/ece-tools locales:unlock on the environment

D. Configure DYNAMIC_LOCALES in the SCD_MATRIX to true in the . magento. env. yarn! file

Correct Answer: B

QUESTION 4

While launching a site migrated from Magento 1 you are instructed to change the website CNAME record in your DNS provider by Magento for go live

What is the purpose of setting this record9

A. Setting this record causes sent email to be property authenticated and not show in junk folders

B. Setting this record enables the page caching service for your site

C. Setting this record is needed on Pro to allow upsizing servers without downtime

D. Setting this record reduces the time it takes for customers to start seeing your Magento 2 site

Correct Answer: B

QUESTION 5

You are going to create a backup of an Integration branch beforeimplementing some new feature What are two ways to create the backup of the integration branch? Choose 2 answers

A. Create a snapshot using the ece-tools snapshot:create command

B. Create a snapshot using the snapshot button In the Project Web UI

C. Create a snapshot using the magento-cloud snapshot: create command

D. Submit a support ticket requesting a backup be made

Correct Answer: BC