



A SS OCIATE-ANDROID-DEVELOPER^{Q&As}

Google Developers Certification - Associate Android Developer (Kotlin
and Java Exam)

**Pass Google ASSOCIATE-ANDROID-DEVELOPER
Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/associate-android-developer.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Google
Official Exam Center



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/associate-android-developer.html>
2024 Latest pass4itsure ASSOCIATE-ANDROID-DEVELOPER PDF and VCE
dumps Download

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

In a class extended PreferenceFragmentCompat. What method is used to inflate the given XML resource and add the preference hierarchy to the current preference hierarchy?

- A. findPreference
- B. getPreferenceManager
- C. addPreferencesFromResource
- D. setPreferenceScreen

Correct Answer: C

QUESTION 2

The Layout Inspector in Android Studio allows you to compare your app layout with design mockups, display a magnified or 3D view of your app, and examine details of its layout at runtime. When this is especially useful?

- A. when your layout is built entirely in XML rather than runtime and the layout is behaving expectedly.
- B. when your layout is built at runtime rather than entirely in XML and the layout is behaving unexpectedly.

Correct Answer: B

QUESTION 3

Select four different types of app components. (Choose four.)

- A. Application
- B. Layouts
- C. Activities
- D. Services
- E. AlarmManager
- F. WorkManager
- G. Broadcast receivers
- H. Content providers
- I. Fragments

Correct Answer: CDGH



QUESTION 4

Select a correct statement about PagedList.

- A. PagedList is content-mutable. This means that new content can be loaded into an instance of PagedList and the loaded items themselves can change once loaded.
- B. PagedList is content-immutable. This means that, although new content can be loaded into an instance of PagedList, the loaded items themselves cannot change once loaded.
- C. PagedList is content-accidental. This means that new content can be loaded into an instance of PagedList and the loaded items themselves can be changed to accidental values randomly.

Correct Answer: B

Reference: <https://developer.android.com/topic/libraries/architecture/paging/ui>

QUESTION 5

Which build options in the Build menu to choose to delete all intermediate/cached build files.

- A. Make Module
- B. Generate Signed Bundle / APK
- C. Rebuild Project
- D. Clean Project
- E. Make Project

Correct Answer: D

Reference: <https://developer.android.com/studio/run>

[ASSOCIATE-ANDROID-DEVELOPER VCE Dumps](#)

[ASSOCIATE-ANDROID-DEVELOPER Practice Test](#)

[ASSOCIATE-ANDROID-DEVELOPER Study Guide](#)