



A SS OCIATE-ANDROID-DEVELOPER^{Q&As}

Google Developers Certification - Associate Android Developer (Kotlin
and Java Exam)

**Pass Google ASSOCIATE-ANDROID-DEVELOPER
Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/associate-android-developer.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Google
Official Exam Center



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/associate-android-developer.html>
2024 Latest pass4itsure ASSOCIATE-ANDROID-DEVELOPER PDF and VCE
dumps Download

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Relative positioning is one of the basic building blocks of creating layouts in ConstraintLayout. Constraints allow you to position a given widget relative to another one. What constraints do not exist?

- A. layout_constraintBottom_toBottomOf
- B. layout_constraintBaseline_toBaselineOf
- C. layout_constraintBaseline_toStartOf
- D. layout_constraintStart_toEndOf

Correct Answer: C

Reference: <https://developer.android.com/reference/androidx/constraintlayout/widget/ConstraintLayout>

QUESTION 2

What happens when you create a DAO method and annotate it with @Insert?

Example:

@Dao

```
interface MyDao { @Insert(onConflict = OnConflictStrategy.REPLACE) fun insertUsers(vararg users: User)
}
```

- A. Room generates an implementation that inserts all parameters into the database in a single transaction.
- B. Room modifies a set of entities, given as parameters, in the database. It uses a query that matches against the primary key of each entity.
- C. Room removes a set of entities, given as parameters, from the database. It uses the primary keys to find the entities to delete.

Correct Answer: A

QUESTION 3

When your code execution reaches the breakpoint, Android Studio pauses execution of your app. You can then use the tools in the Debugger tab to identify the state of the app. With Step Out



you can



- A. examine the object tree for a variable; expand it in the Variables view. If the Variables view is not visible
- B. evaluate an expression at the current execution point
- C. advance to the next line in the code (without entering a method)
- D. advance to the first line inside a method call
- E. advance to the next line outside the current method
- F. continue running the app normally

Correct Answer: E

QUESTION 4

Custom views and directional controller clicks. In general, you should send an AccessibilityEvent whenever the content of your custom view changes. For example, if a text value was changed in your custom view, you should emit an event of this type:

- A. TYPE_WINDOWS_CHANGED
- B. TYPE_VIEW_CONTEXT_CLICKED
- C. TYPE_WINDOWS_CHANGED
- D. TYPE_VIEW_TEXT_CHANGED

Correct Answer: D

Reference: <https://developer.android.com/guide/topics/ui/accessibility/custom-views>

QUESTION 5

What do you want from Room when you create a DAO method and annotate it with @Update?

Example:

@Dao

```
interface MyDao {  
    @Update fun updateUsers(vararg users: User)  
}
```

- A. Room generates an implementation that inserts all parameters into the database in a single transaction.
- B. Room modifies a set of entities, given as parameters, in the database. It uses a query that matches against the primary key of each entity.
- C. Room removes a set of entities, given as parameters, from the database. It uses the primary keys to find the entities to delete.



Correct Answer: B

[Latest ASSOCIATE-
ANDROID-DEVELOPER
Dumps](#)

[ASSOCIATE-ANDROID-
DEVELOPER Study Guide](#)

[ASSOCIATE-ANDROID-
DEVELOPER Braindumps](#)