



AX0-100^{Q&As}

Axis Network Video Exam

Pass Axis Communications AX0-100 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ax0-100.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Axis Communications Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A P-iris lens is

- A. An iris with higher light sensitivity.
- B. Axis\' standard for DC-iris.
- C. A DC-iris with feedback.
- D. An iris specially made for zoom lenses.

Correct Answer: C

QUESTION 2

What is the most effective and time saving way to adjust the focus on the AXIS M3204 camera while onsite?

- A. Remote zoom and focus feature
- B. Adjust back focus
- C. AXIS T8414 Installation Display
- D. AXIS Camera Management

Correct Answer: C

QUESTION 3

Working with a retailer on a site survey, they ask if there\'s any way to get more of the aisle and less of the shelves on the short sides in the shot. An AXIS M3204 camera is being used. Which would be the best suggestion to the retailer?

- A. Adjusting the varifocal lens from 2.8 mm to 10 mm
- B. Adjusting the varifocal lens from 2.8 mm to 4 mm
- C. Using Axis\' Corridor Format
- D. Switching the camera to a 16:9 view

Correct Answer: C

QUESTION 4

Match the following descriptions to their proper IP rating below. Drag each gray box from the left column to the matching blue box in the right column.



IP51	Solids Object Size protected against: >1 mm. Most wires, screws, etc. Liquids Protected against: Spraying water. Water falling as a spray at any angle up to 60° from the vertical shall have no harmful effect.
IP67	Solids Object Size protected against: Dust protected. Ingress of dust is not entirely prevented, but it must not enter in sufficient quantity to interfere with the satisfactory operation of the equipment. Liquids Protected against: Dripping water. Dripping water (vertically falling drops) shall have no harmful effect.
IP43	Solids Object Size protected against: Dust tight. No ingress of dust; complete protection against contact. Liquids Protected against: Powerful water jets. Water projected in powerful jets (12.5mm nozzle) against the enclosure from any direction shall have no harmful effects.
IP66	Solids Object Size protected against: Dust tight. No ingress of dust; complete protection against contact. Liquids Protected against: Immersion up to 1 m. Ingress of water in harmful quantity shall not be possible when the enclosure is immersed in water under defined conditions of pressure and time (up to 1 m of submersion).

Select and Place:

IP51	Solids Object Size protected against: >1 mm. Most wires, screws, etc. Liquids Protected against: Spraying water. Water falling as a spray at any angle up to 60° from the vertical shall have no harmful effect.
IP67	Solids Object Size protected against: Dust protected. Ingress of dust is not entirely prevented, but it must not enter in sufficient quantity to interfere with the satisfactory operation of the equipment. Liquids Protected against: Dripping water. Dripping water (vertically falling drops) shall have no harmful effect.
IP43	Solids Object Size protected against: Dust tight. No ingress of dust; complete protection against contact. Liquids Protected against: Powerful water jets. Water projected in powerful jets (12.5mm nozzle) against the enclosure from any direction shall have no harmful effects.
IP66	Solids Object Size protected against: Dust tight. No ingress of dust; complete protection against contact. Liquids Protected against: Immersion up to 1 m. Ingress of water in harmful quantity shall not be possible when the enclosure is immersed in water under defined conditions of pressure and time (up to 1 m of submersion).

Correct Answer:



	IP66
	IP67
	IP51
	IP43

QUESTION 5

Which is an impact on cameras that are operating above their specified temperature limit?

- A. Noise is increased
- B. Frame rate is reduced
- C. Light sensitivity is decreased
- D. Resolution is reduced

Correct Answer: A

[AX0-100 VCE Dumps](#)

[AX0-100 Study Guide](#)

[AX0-100 Braindumps](#)