

B2C-COMMERCE-DEVELOPER^{Q&As}

Salesforce Certified B2C Commerce Developer

Pass Salesforce B2C-COMMERCE-DEVELOPER Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/b2c-commerce-developer.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce Official Exam Center

Instant Download After Purchase

- 100% Money Back Guarantee
- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Given the SFRA Controller below:

```
01 var server = require('server');
02 var cache = require('*/cartridge/scripts/middleware/cache');
03
04 server.get('Show', cache.applyDefaultCache, function (req, res, next) {
05 viewData = {name: 'my string'};
06 res.render('/pages/mypage', viewData);
07 next();
08 });
09
10 module.exports = server.exports();
```

Why would a JavaScript debugger, that is stopped at line 06, fail to show the viewData variable in the inspection tool?

A. viewData is declared but not assigned

B. viewData is assigned but not declared

- C. viewData is a B2C Script reserved name
- D. cache.applyDefaultCache is not a valid middleware

Correct Answer: B

QUESTION 2

A developer receives a product image that needs to be uploaded to the catalog. What should the developer use to upload this image?

- A. Products and Catalogs module of Business Manager
- B. Sites/Impex WebDAV Directory
- C. Content Image Import module of Business Manager
- D. Site Development Import and Export module of Business Manager

```
Correct Answer: C
```

Reference: https://trailhead.salesforce.com/en/content/learn/modules/b2c-import-export/b2c-configure- import-export

QUESTION 3

Business Manager has the configuration:



Active Log category is "root"

2.

Log level of INFO

The code below executes.

var log = Logger.getLogger("products", "export");

log.info("This is important information");

Using this information, what is the beginning of the filename in which the log will be written?

- A. custom-products
- B. products
- C. custom-export
- D. info-export
- Correct Answer: D

QUESTION 4

A business user wants to add a link to a content page from within the body of another content asset. The target content asset ID is: terms-and-conditions. Which link function generates the correct link?

- A. \$include(`Page-Include\\', `cid\\', `terms-and-conditions\\')\$
- B. \$http(`Content-Page\\', `cid\\', `terms-and-conditions\\')\$
- C. \$httpUrl(`Content-Show\\', `cid\\', `terms-and-conditions\\')\$
- D. \$url(`Page-Show\\', `cid\\', `terms-and-conditions\\')\$

Correct Answer: C

Reference: https://documentation.b2c.commercecloud.salesforce.com/DOC3/index.jsp?topic=% 2Fcom.demandware.dochelp%2FContent%2FContentassetlinkexamples.html

QUESTION 5

A developer is asked to create a new service instance that will call a remote web service. Which method should the developer use to create the service instance?

- A. dw.svc.webref.getDefaultService()
- B. dw.svc.LocalServiceRegistry.getDefaultService()
- C. dw.svc.LocalServiceRegistry.createService()



D. dw.svc.LocalServiceInstance.createService()

Correct Answer: C

B2C-COMMERCE-

B2C-COMMERCE-DEVELOPER PDF Dumps DEVELOPER Study Guide

B2C-COMMERCE-DEVELOPER Exam Questions