



BH0-007^{Q&As}

ISEB Intermediate Certificate in Software Testing

Pass ISEB BH0-007 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/bh0-007.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by ISEB
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

When a software defect in a system has been found and fixed, which of the following activities should be undertaken next?

- a.
Debugging.
 - b.
Confirmation testing.
 - c.
Regression testing.
 - d.
System testing.
 - e.
Static testing.
- A.
a and b.
- B.
b and c.
- C.
c and d.
- D.
c and e.

Correct Answer: B Case Study# 4Scenario

A bank is upgrading its systems to include an on-line investment service, allowing investors to trade with each other, in a mini-stock market environment.

The upgrade will be carried out using Agile development (within the Scrum framework). Here, the iterations are referred to as Sprints. For each Sprint the required functionality will be defined as a set of user-stories.

The user stories are typically 1-2 lines long, indicating what the business wants the system to do. These user stories will be built then tested.



There will be 3 Sprints:

- 1) Creation of the mini-stock market trading environment.
- 2) Creation of additional front-end enhancements.
- 3) Linking to stock exchange for pricing.

You are the test manager. You lead a team of 4 testers, and there are 6 developers. Your team has worked on Agile projects previously, and on average, Sprints usually last 4 weeks. At the end of all Sprints, a full end to end test is carried out. This is called the E2E test phase. You are worried that 4 weeks will not be sufficient time for the first Sprint. You have decided to conduct a Risk Management exercise before the project starts.

QUESTION 2

Which one is a product risk associated with the air quality management system?

- A. The system required to monitor oxygen levels may be more expensive than those required to monitor air temperatures.
- B. SubInc may need to recruit extra developers and testers to deliver the project on time.
- C. Oxygen levels may reach dangerously low levels.
- D. Extreme temperatures may lead to heat exhaustion of personnel.

Correct Answer: C

QUESTION 3

Which stage of the Fundamental Test Process will be most affected by the use of user-stories as defined above?

- A. Creating a schedule of activities as part of test planning.
- B. Creating test cases as part of test design.
- C. Creating the test environment as part of test execution.
- D. Assessing requirements coverage at the end of each Sprint.

Correct Answer: B

QUESTION 4

Which of the following best describes the order in which this should be carried out?

- a.
Decide which category of test design technique to use.
- b.



Review test specifications.

c.

Write test procedures.

d.

Create test cases.

e.

Identify test conditions.

A.

a, b, d, e then c.

B.

b, e, a, d then c.

C.

b, a, d, c then e.

D.

e, b, a, d then c.

Correct Answer: B

QUESTION 5

Which of the following provides the best example of a product risk leading to a project risk?

A. The signalling systems may have more defects than anticipated, leading to the need for more retesting to be carried out.

B. There may be unexpected lags on the network traffic communication, causing drivers to slow the trains down unnecessarily.

C. The new development staff may require training for this type of system, which, if not carried out, may lead to an increase in the number of defects introduced.

D. The budget may need to be increased significantly during the project, otherwise there may be delays in the delivery of the system.

Correct Answer: A

[BH0-007 PDF Dumps](#)

[BH0-007 Study Guide](#)

[BH0-007 Braindumps](#)