



# C1000-026<sup>Q&As</sup>

IBM Security QRadar SIEM V7.3.2 Fundamental Administration

## Pass IBM C1000-026 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c1000-026.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

An administrator is seeing the following system notification:

38750057 – A protocol source configuration may be stopping events from being collected.

What is a valid user action to this issue?

- A. Re-install the QRadar Console
- B. Review the `/var/log/qradar.log` file for more information
- C. Restart the QRadar Console
- D. Review the `/var/log/error.log` file for more information

Correct Answer: D

Reference: [https://www.ibm.com/support/knowledgecenter/en/SS42VS\\_7.3.0/com.ibm.qradar.doc/38750057.html](https://www.ibm.com/support/knowledgecenter/en/SS42VS_7.3.0/com.ibm.qradar.doc/38750057.html)

---

### QUESTION 2

A QRadar administrator added High Availability (HA) to the Event Processor and needs to verify the crossover link status between the primary and secondary hosts.

Which commands can be used to verify the crossover status? (Choose two.)

- A. `/opt/qradar/ha/bin/ha_getstate.sh`
- B. `/opt/qradar/ha/bin/getStatus crossover`
- C. `/opt/qradar/ha/bin/qradar_net tune.pl crossover status`
- D. `/opt/qradar/ha/bin/qradar_net tune.pl linkaggr status`
- E. `/opt/qradar/ha/bin/ha cstate`
- F. `cat /proc/drbd`

Correct Answer: CF

Reference:

<https://www.ibm.com/developerworks/community/forums/html/topic?id=5c01c198-016d-461ba648-a87cdc445768>

---

### QUESTION 3

What happens if QRadar receives events at a higher rate than the license allows?

- A. The events will be put into queues
- B. The source system will be asked to resend the events later



- C. The events will not be parsed
- D. The events will be dropped immediately

Correct Answer: A

Reference: <https://www.ibm.com/support/pages/qradar-event-and-flow-burst-handling-buffer>

---

#### QUESTION 4

A QRadar upgrade is planned and a maintenance window is scheduled. The administrator must stage the FIXPACK from IBM Fix Central.

Which QRadar FIXPACK file type must the administrator download?

- A. RPM
- B. IMG
- C. SFS
- D. XFS

Correct Answer: C

Reference: <https://www-945.ibm.com/support/fixcentral/swg/selectFixes?parent=IBM%20Securityandproduct=ibm/Other+software/IBM+QRadar+Network+Insightsandrelease=7.3.0andplatform=Linuxandfunction=all>

---

#### QUESTION 5

Which event QID test is used to send an email as a rule response when disk usage reaches a threshold?

- A. (38750076) Disk Sentry Reached Warn threshold
- B. (38750076) Disk Sentry Disk Usage Exceeded Warning threshold levels
- C. (38750076) Disk Usage Exceeded Warn threshold
- D. (38750076) Disk Sentry Disk Usage Exceeded Warn threshold

Correct Answer: B

Reference: <https://www.ibm.com/support/pages/qradar-configuring-qradar-remote-alerts-about-disk-usage>

[Latest C1000-026 Dumps](#)

[C1000-026 Practice Test](#)

[C1000-026 Study Guide](#)