



C2010-501^{Q&As}

IBM Maximo Asset Management V7.5 Infrastructure Implementation

Pass IBM C2010-501 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c2010-501.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

A user, administrator, is undertaking the installation of a new IBM Maximo Asset Management V7.5 environment on a Windows 2008 Server. The default installation path will be C:\IBM\SMP.

The installation has stopped and the CTGInstallTraceOO.log indicates that the updateDB failed. Where is the Updatedb.log located?

- A. C:\IBM\SMP\logs
- B. C:\IBM\SMP\solutions\logs
- C. C:\IBM\SMP\maximo\tools\maximo\log
- D. C:\IBM\SMP\maximo\applications\maximo\log

Correct Answer: C

QUESTION 2

A user, administrator, is undertaking the installation of a new IBM Maximo Asset Management V7.5 environment on a Windows 2008 Server. The default installation path will be C:\IBM\SMP.

The installation has not been running very long and the user interface indicates that files are being copied when the installer fails. The default log folder has not been created yet. Where is the CTGInstallTraceOO.log located?

- A. C:
- B. C:\IBM\SMP
- C. C:\IBM\SMP\logs
- D. C:\Users\administrator

Correct Answer: D

QUESTION 3

Every time a user opens the Work Order Tracking application, the Maximo Java Virtual Machine crashes. Why?

- A. The user\'s defined default site does not exist.
- B. The user\'s default query is running a full table scan.
- C. The user\'s work order list contains past due work orders.
- D. The user\'s system locale does not match the Maximo defined locale.

Correct Answer: B



QUESTION 4

LDAPSYNC is an IBM Maximo Asset Management V7.5 cron task that can be used for what purpose?

- A. To synchronize users from a LDAP capable server, using the J2EE server security repository
- B. To synchronize users from a LDAP capable server, bypassing the J2EE server security repository
- C. To synchronize users from a LDAP capable server, using the application server security configuration
- D. To synchronize users from a LDAP capable server, bypassing the J2EE bind repository authentication

Correct Answer: B

QUESTION 5

An architecture for the deployment of IBM Maximo Asset Management is being created for a customer. The user acceptance testing (UAT) and production environments include: 2 user interface (UI) Java Virtual Machines (JVMs), 1 Maximo Integration Framework (MIF) JVM, and 1 cron JVM each. Why are there separate JVMs for the UAT environment?

- A. A UAT environment always provides an infrastructure supporting the same number of users as a production environment.
- B. A UAT environment with JVM segregation requires separated JVM functions in any environment other than development.
- C. The minimum number of JVMs that must be utilized in any customer UAT environment is: 2 UI JVMs, 1 MIF JVM, and 1 cron JVM.
- D. A UAT environment allows for the testing of configuration and concepts utilized in the production environment design in a similar way to how they are actually utilized in production.

Correct Answer: D

[C2010-501 PDF Dumps](#)

[C2010-501 Study Guide](#)

[C2010-501 Braindumps](#)