



C2040-413^{Q&As}

IBM Sametime 9.0 Administration

Pass IBM C2040-413 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c2040-413.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Charles is unable to use port 80 for his HTTP connection to his IBM Sametime Community Server. Which port should he use instead as the default tunneling port for the IBM Domino HTTP Server?

- A. 8062
- B. 8080
- C. 8088
- D. 8092

Correct Answer: B

QUESTION 2

Which two policy settings relate to contact list limits?

- A. Users
- B. Contacts
- C. Limit contact list size
- D. Allow contact list size
- E. Maximum contact list size

Correct Answer: CE

QUESTION 3

Why would an IBM Sametime administrator run a standalone IBM WebSphere Proxy Server on a different machine than the Sametime Meeting Servers?

- A. to share the same file system
- B. to off-load the performance impact on the Sametime Meeting Server, avoid port conflicts, and for load-balancing benefits
- C. to comply with the Sametime 9.0 requirement that a standalone IBM WebSphere Proxy Server run on a different machine than the Sametime Meeting Servers
- D. to run a supported configuration as Sametime Meeting Servers and WebSphere Proxy Servers running on the same machine are not supported in a virtualized environment

Correct Answer: B

**QUESTION 4**

Alan is troubleshooting a chat issue in the IBM Sametime Mobile client on a user's iOS device. The first set of client logs he receive from the user does not contain enough data. How does Alan increase the device's logging level?

- A. In the iOS settings, navigate to Sametime > Troubleshooting and turn on Logging.
- B. In the Sametime Mobile application, navigate to Settings > Trace and toggle the Logging setting to "On".
- C. In the Sametime System Console, navigate to Sametime System Console > Sametime Servers > Sametime Proxy Servers. Click on the name of the Sametime Proxy Cluster. Check the box "Sametime Mobile Logging".
- D. In the IBM WebSphere Integrated Solutions Console, navigate to Troubleshooting > Logs and trace and select one of the STProxyServers. Navigate to Diagnostics Trace > Runtime > Change Log detail levels. Set the default logging level to *=info: com.ibm.rtc.stproxy.*=all:com.ibm.collaboration.realtime.*=all.

Correct Answer: B

QUESTION 5

Which must be done on an IBM Domino server running on Microsoft Windows 2008 or later before installing a standalone IBM Sametime Community 9.0 Server?

- A. Enable LDAP.
- B. Disable unused TCP global settings.
- C. Specify "Instant messaging server" for users in the directory.
- D. Set "Is this a Sametime server?" to "Yes" in the Domino Server document.

Correct Answer: B

[Latest C2040-413 Dumps](#)

[C2040-413 PDF Dumps](#)

[C2040-413 VCE Dumps](#)