

C2040-415^{Q&As}

Developing OpenSocial Applications

Pass IBM C2040-415 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/c2040-415.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.pass4itsure.com/c2040-415.html 2024 Latest pass4itsure C2040-415 PDF and VCE dumps Download

QUESTION 1

What is true regarding a gadget with Type="URL"?

- A. Only Type="HTML" can be used for an OpenSocial Gadget.
- B. A standard set of parameters are not added to the URL by the gadget server.
- C. Type URL gadgets cannot take advantage of all features, notably features that manipulate HTML and JavaScript code directly.
- D. When loading JavaScript library requests, a server must provide an OAuth service for retrieving core and feature-linked JavaScript.

Correct Answer: C

QUESTION 2

Marco is creating an OpenSocial gadget that would retrieve and show dynamically created data. Which approach can result in performance improvement?

- A. Disable image pre-loading.
- B. Use Cache-Control HTTP header.
- C. Load all external content using Ajax.
- D. Deliver all resources from external domains.

Correct Answer: B

QUESTION 3

Which service can be used to access IBM Domino data via an OpenSocial gadget?

- A. Domino XML
- B. Domino HTTP
- C. Domino REST
- D. Domino HTML

Correct Answer: C

QUESTION 4

Which are valid REST API calls?

https://www.pass4itsure.com/c2040-415.html

2024 Latest pass4itsure C2040-415 PDF and VCE dumps Download

- A. GET, POST, PUT , DELETE
- B. POST, PUT ,FETCH, DELETE
- C. GET, UPDATE, PUT, DELETE
- D. SELECT, POST, GET, DELETE

Correct Answer: A

QUESTION 5

What is the context property used for when embedding an OpenSocial gadget?

- A. The "context" field is used to pass data from the gadget to the container.
- B. The "context" field is used to pass data to the gadget so that it knows exactly which content to render.
- C. There is no context property in an embedded experience when it is embedding an OpenSocial gadget.
- D. The context properties are referenced by index for the individual user of each gadget and contain a unique hash for individual embedded experiences.

Correct Answer: B

<u>Latest C2040-415 Dumps</u> <u>C2040</u>

C2040-415 VCE Dumps C204

C2040-415 Exam Questions