



C2040-423^{Q&As}

IBM WebSphere Portal 8.5 Solution Development

Pass IBM C2040-423 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c2040-423.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Sam wants to create a portlet that uses a custom portlet mode that is not defined in the JSR 286 specification.

After implementing the correct methods, what additional step must he do to use a custom portlet mode?

- A. Add the custom portlet mode to the portlet deployment descriptor.
- B. Add a resource bundle to the portlet that has the name of the custom portlet mode.
- C. Configure the portlet after installation to map the custom portlet mode to the server- defined portlet mode.
- D. Enable the specific custom portlet mode at the container level by setting the correct property in the resource environment provider.

Correct Answer: A

QUESTION 2

Which folders are two of the root folders in the fs-type1 WebDAV entry point? (Choose two.)

- A. skins
- B. layout
- C. resources
- D. layout-templates
- E. theme-templates

Correct Answer: AD

older structure and reserved folder names The fs-type1 WebDAV entry points provide the following set of predefined root folders used by themes: themes skins layout-templates common-resources iwidgets

QUESTION 3

Which option is a media type that is supported by the IBM Web Content Manager REST service?

- A. Image color
- B. File directory
- C. Project template
- D. JavaScript method

Correct Answer: A



tem types The following item types can be created, read, updated and deleted using the Web Content Manager REST service: Site areas Content items Presentation templates Projects The following component types: Text Short text Rich text HTML Number Date and Time Image File resource Style Sheet

QUESTION 4

Frank has a portlet that accesses PUMA to retrieve some details about a user to control what is displayed in his custom portlet (user categories). After some analysis, he sees that performance is poor and feels that this issue is because of PUMA. Frank would like to store some of the PUMA objects in the session.

Which PUMA object can be stored safely in the session?

- A. PumaHome
- B. PumaLocator
- C. PumaProfile
- D. PumaController

Correct Answer: A

: PumaProfile Contains methods that provide read-only access to the User and Group attributes and identifiers. You can use this interface to get the User object for the current user. PumaLocator Contains methods for looking up User and Group objects. You can use this interface to obtain a List of Group objects for all of the groups in which the current user is a member. Beginning with Version 7.0 of WebSphere?Portal, paging is supported. Which means that the result set is split up into subsets (pages) and a special iterator can be used to access the pages. PumaController Contains methods for creating and deleting Users and Groups and for modifying the User and Group profiles and membership.

PumaEnvironment Contains methods to retrieve virtual principals, access general properties for user management, and a method to bypass access control for the user and group management layer. Before the portlet can use these provider objects, it must first retrieve the appropriate home interface, depending on the type of application. Standard portlet com.ibm.portal.um.portletservice.PumaHome

QUESTION 5

Kathy wants to override a dynamic content spot configuration to her custom theme. What will be the best way to achieve this without using XMLAccess?

- A. Make the configuration change in the resource environment provider in the IBM WebSphere Integrated Solutions Console.
- B. Download the theme. html file from WebDAV, make changes there, and upload it back to WebDAV.
- C. Set the theme metadata parameter key with the appropriate key/value pair in WebDAV.
- D. Enable the theme. custom.metadata attribute with the value true in the WebSphere Integrated Solutions Console.

Correct Answer: D

If you are accessing federated documents through the personalization editor, click wp.federated.documents.pzn.vaultselection.enabled. To enable credential vaults slots, set the value to true, or, to disable credential vault slots, set the value to



false. By default, the value is true.

If you are accessing federated documents through the rich text editor in Web Content Manager, click `wp.federated.documents.wcm.vaultselection.enabled`. To enable credential vaults slots, set the value to true, or, to disable credential vault

slots, set the value to false.

By default, the value is true.

[C2040-423 Practice Test](#)

[C2040-423 Exam Questions](#)

[C2040-423 Braindumps](#)