



C2040-423^{Q&As}

IBM WebSphere Portal 8.5 Solution Development

Pass IBM C2040-423 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c2040-423.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

Isabel wants to display different content automatically to users, depending on their group access. Which IBM WebSphere Portal feature should Isabel use to configure this objective?

- A. dynamic UI
- B. preferences
- C. customization
- D. personalization

Correct Answer: D

SyncML DM is based on the SyncML protocol and is designed to enable the customizing, personalization, and servicing of mobile device, taking into account the same limitations as SyncML DS does for mobile environments.

QUESTION 2

Don needs to update a custom layout in his production server. He made the necessary updates to the layout.html file in WebDAV, but his users are not seeing the changes.

What is the most likely cause of this incorrect behavior?

- A. He did not run the cef resh-page-layout-template task.
- B. He saved the updates in the themelist directory in WebDAV.
- C. He did not force a recompile of the Defaultjsp file in his custom theme.
- D. He did not restart the server, as required, for the layout updates to take effect.

Correct Answer: D

Explanation: MediaTomb is highly configurable and allows the user to set various options and preferences that define the servers behavior. Rather than enforcing certain features upon the user, we prefer to offer a number of choices where

possible. The heart of MediaTomb configuration is the config.xml file, which is located in the ~/.mediatomb directory. If the configuration file is not found in the default location and no configuration was specified on the command line,

MediaTomb will generate a default config.xml file in the ~/.mediatomb directory. The file is in the XML format and can be edited by a simple text editor, here is the list of all available options:

"Required" means that the server will not start if the tag is missing in the configuration.

"Optional" means that the tag can be left out of the configuration file.

QUESTION 3



Rachel has added a custom new parameter named user to the page properties of the Human Resources page.

How can Rachel retrieve this parameter?

- A. She is unable to access the user parameter.
- B. She can use the tag to obtain the user parameter from any page.
- C. She can use the tag to obtain the user parameter from the Human Resources page.
- D. She can use the tag to obtain the user parameter from the Human Resources page.

Correct Answer: C

QUESTION 4

James is developing a portlet and wants to share the cache entry across all users upon certain conditions.

What is a valid way to accomplish his goal?

- A. Add the conditions in the doView method and set the cache scope to public in the request.
- B. Add the conditions in the doview method and set the cache scope to public in the response.
- C. Add the conditions in the doHeade rs method and set the cache scope to public in the request.
- D. Add the conditions in the doHeaders method and set the cache scope to public in the response.

Correct Answer: D

QUESTION 5

Which folders are two of the root folders in the fs-type1 WebDAV entry point? (Choose two.)

- A. skins
- B. layout
- C. resources
- D. layout-templates
- E. theme-templates

Correct Answer: AD

older structure and reserved folder names The fs-type1 WebDAV entry points provide the following set of predefined root folders used by themes: themes skins layout-templates common-resources iwidgets