C2040-423 Q&As

IBM WebSphere Portal 8.5 Solution Development

Pass IBM C2040-423 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/c2040-423.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

QUESTION 1

Assuming that the user-agent was correctly configured as a_smartphone, what syntax in the theme module definition should be used to include a resource that is specific to this client?

A.

B.

C.

D.

Correct Answer: D

QUESTION 2

Which methods does a developer have access to when interfacing with the IBM WebSphere Portal user repository? (Choose two.)

A. PUMA SPI objects

B. PUMA EJB access

C. PUMA REST service

D. WebSphere Portal user servlet

E. WebSphere Application Server secure ACL API

Correct Answer: AC

QUESTION 3

Rachel has added a custom new parameter named user to the page properties of the Human Resources page.

How can Rachel retrieve this parameter?

A. She is unable to access the user parameter.

B. She can use the tag to obtain the user parameter from any page.

C. She can use the tag to obtain the user parameter from the Human Resources page.

D. She can use the tag to obtain the user parameter from the Human Resources page.

Correct Answer: C

QUESTION 4

Which command is used to change the language during the navigational state in tags?

A. SetLocale

B. SetLanguage

C. ChangeLocale

D. ChangeLanguage

Correct Answer: D

QUESTION 5

Don needs to update a custom layout in his production server. He made the necessary updates to the layout.html file in WebDAV, but his users are not seeing the changes.

What is the most likely cause of this incorrect behavior?

A. He did not run the cef resh-page-layout-template task.

B. He saved the updates in the themelist directory in WebDAV.

C. He did not force a recompile of the Defaultjsp file in his custom theme.

D. He did not restart the server, as required, for the layout updates to take effect.

Correct Answer: D

Explanation: MediaTomb is highly configurable and allows the user to set various options and preferences that define the servers behavior. Rather than enforcing certain features upon the user, we prefer to offer a number of choices where

possible. The heart of MediaTomb configuration is the config.xml file, which is located in the ~/.mediatomb directory. If the configuration file is not found in the default location and no configuration was specified on the command line,

MediaTomb will generate a default config.xml file in the ~/.mediatomb directory. The file is in the XML format and can be edited by a simple text editor, here is the list of all available options:

"Required" means that the server will not start if the tag is missing in the configuration.

"Optional" means that the tag can be left out of the configuration file.