



C2090-013^{Q&As}

IBM SPSS Modeler Data Mining for Business Partners v2

Pass IBM C2090-013 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c2090-013.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

How many phases are in the CRISP-DM Process Methodology?

- A. Four
- B. Five
- C. Six
- D. Seven

Correct Answer: C

QUESTION 2

True or false: running Auto Dataprep results in data transformation nodes placed in a Supernode on the canvas.

- A. True
- B. False

Correct Answer: B

QUESTION 3

True or false: given the information in the Data Audit Quality table below,

The screenshot shows the 'Quality' tab in a software interface. At the top, it displays 'Complete fields (%): 90.48%' and 'Complete records (%): 13.1%'. Below this is a table with the following columns: Field, Measurement, Outliers, Extre..., Action, Impute Missing, Method, % Complete, and Valid Record. The table lists various fields like logwire, logequi, logtoll, logcard, region, tenure, age, marital, address, income, and ed. A dialog box titled 'Generate Filter from Quality' is open in the foreground, showing 'Mode: Include' and 'Fields with quality percentage higher than %' set to 70.0.

Field	Measurement	Outliers	Extre...	Action	Impute Missing	Method	% Complete	Valid Record
logwire	Continuous	1	0	None	Never	Fixed	29.6	
logequi	Continuous	1	0	None	Never	Fixed	38.6	
logtoll	Continuous	2	0	None	Never	Fixed	47.5	
logcard	Continuous	2	0	None	Never	Fixed	67.8	
region	Nominal	--	--		Never	Fixed	100	1
tenure	Continuous						100	1
age	Continuous						100	1
marital	Flag						100	1
address	Continuous						100	1
income	Continuous						100	1
ed	Ordinal						100	1



the generated Filter node will exclude only the fields logwire, logequi, logtoll, and logcard.

- A. True
- B. False

Correct Answer: A

QUESTION 4

Which method would be used on the Merge node in order to combine a file containing 100 products and a file containing 50 suppliers and retain only the matching records?

- A. Inner join
- B. Anti-join
- C. Full outer join
- D. Partial outer join

Correct Answer: A

QUESTION 5

Which node should be used if the user wanted to see the number of cases in each category for a variable of Categorical Measurement level?

- A.
- B.
- C.
- D.



Distribution



Web



Plot



Histogram

Correct Answer: A

[C2090-013 PDF Dumps](#)

[C2090-013 Study Guide](#)

[C2090-013 Exam Questions](#)