



# C2090-013<sup>Q&As</sup>

IBM SPSS Modeler Data Mining for Business Partners v2

## Pass IBM C2090-013 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c2090-013.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which node can be used to easily generate a field that divides the data into subsamples for the Training and Testing stages of modeling?

- A. Sample
- B. Filler
- C. Balance
- D. Partition

Correct Answer: D

---

### QUESTION 2

True or false: the optimal binning method in the Binning node uses a Supervisor field to determine the binning cut points.

- A. True
- B. False

Correct Answer: A

---

### QUESTION 3

An online retailer wants to identify groups of customers based on components of their buying behavior, such as types of products purchased, volume of purchases, and frequency of purchases. What type of model would be used?

- A. Association model
- B. Segmentation model
- C. Classification model
- D. Sequence model

Correct Answer: B

---

### QUESTION 4

True or false: association models require all fields used to be defined with the role of both.

- A. True
- B. False



Correct Answer: A

## QUESTION 5

Examine the Data Audit output shown below.

Field	Measurement	Outliers	Extremes	Action	Impute Mi...	Method	% Complete	Valid
ACCOM	Nominal	--	--		Never	Fixed	100	
COUNTRY	Nominal	--	--		Never	Fixed	100	
CUSTID	Nominal	--	--		Never	Fixed	100	
DIST_TO_BE...	Continuous	1	0	None	Never	Fixed	100	
DOB	Nominal	--	--		Never	Fixed	100	
GENDER	Nominal	--	--		Never	Fixed	98.681	
HOLCODE	Nominal	--	--		Never	Fixed	100	
HOLCOST	Continuous	9	1	Discard	Never	Fixed	97.889	
NAME	Nominal	--	--		Never	Fixed	100	
NIGHTS	Continuous	0	0	Nullify	Never	Fixed	100	
NUMPARTY	Continuous	6	0	None	Never	Fixed	100	
POOL	Flag	--	--		Never	Fixed	100	
REGION	Nominal	--	--		Never	Fixed	100	
TRAVDATE	Nominal	--	--		Never	Fixed	100	

What action will occur in a generated Outlier and Extreme Supernode for HOLCOST?

- A. Nine records will be set to the system missing (null) value for HOLCOST.
- B. Ten records will be deleted.
- C. Ten records will be set to the system missing (null) value for HOLCOST.
- D. Nine records will be deleted.

Correct Answer: B

[C2090-013 Study Guide](#)

[C2090-013 Exam Questions](#)

[C2090-013 Braindumps](#)