



# C2090-013<sup>Q&As</sup>

IBM SPSS Modeler Data Mining for Business Partners v2

## Pass IBM C2090-013 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c2090-013.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

True or false: in the stream below The CHAID node and Neural Net node can be combined in a single Supernode.



A. True

B. False

Correct Answer: B

---

**QUESTION 2**

Which node can be used to easily generate a field that divides the data into subsamples for the Training and Testing stages of modeling?

A. Sample

B. Filler

C. Balance

D. Partition

Correct Answer: D

---

**QUESTION 3**

An online retailer wants to identify groups of customers based on components of their buying behavior, such as types of products purchased, volume of purchases, and frequency of purchases. What type of model would be used?

A. Association model

B. Segmentation model

C. Classification model

D. Sequence model



Correct Answer: B

---

#### QUESTION 4

What will occur if the deployment data has a very different range than the data that was used in modeling?

- A. The model will underpredict.
- B. The model will overpredict.
- C. The model may overpredict or underpredict.
- D. The model nugget will automatically nullify those cases that are out of range .075.

Correct Answer: C

---

#### QUESTION 5

Which method would be used on the Merge node in order to combine a file containing 100 products and a file containing 50 suppliers and retain only the matching records?

- A. Inner join
- B. Anti-join
- C. Full outer join
- D. Partial outer join

Correct Answer: A

[C2090-013 PDF Dumps](#)

[C2090-013 VCE Dumps](#)

[C2090-013 Braindumps](#)