



C2090-311^{Q&As}

IBM DB2 10.5 DBA for LUW Upgrade from DB2 10.1

Pass IBM C2090-311 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c2090-311.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

If the DB2_WORKLOAD registry variable is set to ANALYTICS, what value will be assigned to the DFT_DEGREE database configuration parameter, by default?

- A. -1
- B. 1
- C. ON
- D. ANY

Correct Answer: A

QUESTION 2

An expression-based index named EMPJND1 and a statistical view named EMP_IND1_V have been created for a table named EMPLOYEE.

If the following command is used to set up a statistics profile on the statistical view EMP_IND1_V:

```
RUNSTATS ON VIEW emp_ind1_v WITH DISTRIBUTION DEFAULT UM_FREQVALUES 50 SET PROFILE ONLY
```

Which command will create a statistics profile on the EMPLOYEE table?

- A. RUNSTATS ON TABLE employee USE PROFILE
- B. RUNSTATS ON TABLE employee USE SAMPLED INDEX emp_ind1
- C. RUNSTATS ON TABLE employee WITH DISTRIBUTION AND SAMPLED DETAILED INDEXES ALL
- D. RUNSTATS ON TABLE employee WITH DISTRIBUTION AND SAMPLED INDEX emp_ind1 GENERATE PROFILE

Correct Answer: C

QUESTION 3

What type of table can be converted into a column-organized table with the db2convert command?

- A. A range partitioned table
- B. A materialized query table
- C. A row-organized user table
- D. A declared global temporary table

Correct Answer: A



QUESTION 4

What does the monitor element POOL_FAILED_ASYNC_TEMP_COL_REQS track?

- A. The number of times an attempt to queue a column-organized prefetch request for temporary table spaces was made but failed.
- B. The number of times a temporary error occurred while trying to queue a column-organized prefetch request for a regular table space.
- C. The number of times DB2 had to retrieve a page from disk for a temporary column-organized table because the page no longer resided in the buffer pool.
- D. The number of times an asynchronous read request failed when attempting to read temporary column-organized data from the buffer pool after the page had been flushed to disk.

Correct Answer: B

QUESTION 5

If Self Tuning Memory Manager (STMM) is enabled for a DB2 10.5, FixPack 1 pureScale database, which two capabilities are available?

- A. Multi-tenancy
- B. Workload consolidation
- C. Independent tuning member
- D. Broadcasting STMM tuning decisions to all members
- E. Single INSTANCE_MEMORY instance configuration memory setting

Correct Answer: DE

[C2090-311 VCE Dumps](#)

[C2090-311 Practice Test](#)

[C2090-311 Study Guide](#)