

C2090-317^{Q&As}

DB2 11 System Administrator for z/OS

Pass IBM C2090-317 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/c2090-317.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.pass4itsure.com/c2090-317.html

2024 Latest pass4itsure C2090-317 PDF and VCE dumps Download

QUESTION 1

Which DB2 system table can limit the amount of resources that can be consumed based on client or IP address of the client?

- A. SYSIBM.IPLIST
- **B. SYSIBM.IPNAMES**
- C. SYSIBM.DSNRLST01
- D. SYSIBM.DSNRLMT01

Correct Answer: D

QUESTION 2

Local buffer pool updated pages are queued by data set until they are written out to DASD when which event occurs?

- A. A page is added.
- B. A COMMIT is executed.
- C. When VPSEQT is reached.
- D. A system checkpoint is taken.g

Correct Answer: B

QUESTION 3

Which two features are the motivation behind the conversion to extended RBA/LRSN format?

- A. Greater RECOVER utility concurrency.
- B. Reduction of the potential for an RBA rollover.
- C. More precise PIT recovery of the DB2 system catalog and directory.
- D. Potentially faster UPDATE performance due to greater LRSN granularity.
- E. Reduced p-Lock contention in the coupling facility due to greater LRSN granularity.

Correct Answer: C

QUESTION 4

Which method can be used to set the DB2 client information (workstation name, application name..) from a JDBC application using a type 4 connection?



https://www.pass4itsure.com/c2090-317.html

2024 Latest pass4itsure C2090-317 PDF and VCE dumps Download

- A. Using the java.sql.Connection.setClientInfo method
- B. Using the SET_CLIENT_ID option during RRS SIGNON
- C. Using the SQL SET statement (eg. SET CURRENT CLIENT J/VRKSTNNAME = \\'MYWS*)
- D. Setting up a profile using the SPECIAL_REGISTER attribute in SYSIBM.DSN PROFILE ATTRIBUTES table

Correct Answer: C

QUESTION 5

Which subsystem parameter is used to enable the RECOVER utility to use system-level backups as a recovery base?

- A. RESTORE_TAPEUNITS
- B. SYSTEM_LEVEL_BACKUPS
- C. UTILS_DUMP_CLASS_NAME
- D. RESTORE _ RECOVER_ FROMDUMP

Correct Answer: D

Latest C2090-317 Dumps

C2090-317 PDF Dumps

C2090-317 Study Guide