



# C2090-544<sup>Q&As</sup>

DB2 9.7 Advanced DBA for LUW

## Pass IBM C2090-544 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/C2090-544.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

What is the minimum authority required to execute the LOAD command?

- A. DATAACCESS
- B. SQLADM
- C. ACCESSCTRL
- D. SYSCTRL

Correct Answer: A

---

**QUESTION 2**

A primary and standby database are enabled for HADR and are in peer state. The HADR\_SYNCMODE configuration parameter is set to SYNC. An application connects to the primary database, issues a COMMIT and receives a successful return code in response. How were the log buffers for this unit of work processed?

- A. The log buffers were written to the DB2 log files on the primary server, sent to the standby, and written to log files on the standby server. The return code was then sent to the application.
- B. The log buffers were written to the DB2 log files on the primary server and received in the log buffers on the standby database. The return code was then sent to the application.
- C. The log buffers were written to the DB2 log files on the standby server and held in memory on the primary server. The return code was then sent to the application.
- D. The log buffers were written to the DB2 log files on the primary server and sent to TCP/IP send buffer to be shipped to the standby server. The return code was then sent to the application.

Correct Answer: A

---

**QUESTION 3**

Which action(s) will cause a compression dictionary to be removed from a table?

- A. Set the table COMPRESS attribute to NO.
- B. Set the table COMPRESS attribute to NO;run REORG against the table.
- C. Set the table COMPRESS attribute to NO;run INSPECTESETDICTIONARY against the table.
- D. Set the table COMPRESS attribute to NO;run RUNSTATS against the table.

Correct Answer: B

---

**QUESTION 4**

The DBA needs to create a table with key columns YEARDAY, YEAR, and DAY. This table needs to be partitioned by column YEARDAY with three months per data partition. Additionally, data needs to be organized so that all rows within any three month date range are clustered together based on 12 months of data. Which CREATE TABLE statement will accomplish this objective?

- A. CREATE TABLE tab1(yearday INT,year CHAR(2),day INT))PARTITION BY RANGE (year) (STARTING 201001 ENDING 201012 EVERY 3)ORGANIZE BY DIMENSIONS (year, day))
- B. CREATE TABLE tab1(yearday INT,year CHAR(2),day INT))PARTITION BY RANGE (yearday) (STARTING 201001 ENDING 201012 EVERY 3)ORGANIZE BY DIMENSIONS (year, day))
- C. CREATE TABLE tab1(yearday INT,year CHAR(2),day INT))PARTITION BY RANGE (yearday) (STARTING 201001 ENDING 201012 EVERY 3)ORGANIZE BY DIMENSIONS (year))
- D. CREATE TABLE tab1(yearday INT,year CHAR(2),day INT))PARTITION BY RANGE (yearday) (STARTING 201001 ENDING 201012 EVERY 3)ORGANIZE BY DIMENSIONS (day))

Correct Answer: C

---

**QUESTION 5**

Given a database with Self-Tuning Memory Manager (STMM) enabled, what will DB2 do when a new buffer pool is created using the IMMEDIATE option?

- A. Attempt to create the buffer pool and immediately request additional memory from the operating system to allocate. If the operating system memory is not available, the buffer pool will not be created.
- B. Attempt to create the buffer pool and immediately allocate the memory requested, resizing the existing buffer pools and heaps as required. If there is insufficient memory in the global memory allocation for DB2, the buffer pool will not be created.
- C. Attempt to create the buffer pool and immediately allocate the memory requested from available database shared memory. If the memory available is not sufficient, then allocation of the buffer pool will be deferred until the database is stopped and restarted.
- D. Attempt to create the buffer pool and immediately request additional instance level memory. If the instance level memory is not available, then creation of the buffer pool is deferred until the database is stopped and restarted.

Correct Answer: C

[C2090-544 PDF Dumps](#)

[C2090-544 VCE Dumps](#)

[C2090-544 Practice Test](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4itsure.com/allproducts>

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <b>One Year Free Update</b> <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <b>Money Back Guarantee</b> <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <b>Security &amp; Privacy</b> <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.