C2090-558^{Q&As}

Informix 11.70 Fundamentals

Pass IBM C2090-558 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/c2090-558.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.pass4itsure.com/c2090-558.html

2024 Latest pass4itsure C2090-558 PDF and VCE dumps Download

QUESTION 1

Which two installation modes are available for Informix? (Choose two.)

- A. Full
- B. Typical
- C. Custom
- D. Compact
- E. Complete

Correct Answer: BC

QUESTION 2

Given INFORMIXCONTIME = 60 and INFORMIXCONRETRY = 3, if the initial connection attempt fails, what subsequent attempts will be made to connect?

- A. 60 and 120 seconds before aborting
- B. Every 3 minutes within one hour before aborting
- C. Every 3 seconds within one hour before aborting
- D. Wait indefinitely until it is successfully completed

Correct Answer: A

QUESTION 3

Why would you want to create a table with a lock mode row as opposed to a lock mode page?

- A. to reduce disk I/O
- B. to keep more information in memory for each locked row
- C. to increase concurrency among multiple users on the same table
- D. to reduce the number of locks when accessing rows out of the table

Correct Answer: C

QUESTION 4

Which of the following methods will allow you to determine how much space is currently in use?

https://www.pass4itsure.com/c2090-558.html 2024 Latest pass4itsure C2090-558 PDF and VCE dumps Download

- A. Query the \$ table
- B. Query the sysstats database
- C. Query the sysusers database
- D. Query the sysmaster database

Correct Answer: D

QUESTION 5

What are two system level databases? (Choose two.)

- A. sysperf
- B. sysadmin
- C. sysmaster
- D. sysmonitor
- E. sysscheduler

Correct Answer: BC

C2090-558 Practice Test C2090-558 Study Guide C2090-558 Exam Questions