



C2090-600^{Q&As}

IBM DB2 11.1 DBA for LUW

Pass IBM C2090-600 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c2090-600.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

What is an advantage of using range partitioned tables?

- A. Ability to run utilities against the partitions in parallel
- B. Increased query performance through data partition elimination
- C. Block indexes are much smaller than RID indexes, providing better performance
- D. Table data is automatically and continuously clustered, requiring minimal reorganization

Correct Answer: B

QUESTION 2

Which tool can be used to get database design recommendations based on SQL statements stored in the database package cache?

- A. db2pd
- B. db2dart
- C. db2expln
- D. db2advis

Correct Answer: C

QUESTION 3

Given the following: What will be the result of the following SQL statement?

```
CREATE TABLE t1 (col1 INTEGER NOT NULL);  
  
CREATE VIEW v1 AS SELECT col1 FROM t1 WHERE col1 > 10;  
CREATE VIEW v2 AS SELECT col1 FROM v1 WHERE col1 < 40  
    WITH CHECK OPTION;  
CREATE VIEW v3 AS SELECT col1 FROM v2 WHERE col1 < 50;
```

INSERT INTO v3 (col1) values (30);

- A. The insert will succeed as it passes validation.
- B. The insert will succeed as there is no WITH CHECK OPTION on view V3.
- C. The insert will result in an error as it violates the WITH CHECK OPTION on view V2.
- D. The insert will succeed as the default WITH CHECK OPTION is LOCAL on view V2.



Correct Answer: C

QUESTION 4

On Linux and Unix systems, which of the following will set the DB2_FMP_COMM_HEAPSZ registry variable to 1 GB (or 256000 pages), only for the instance db2inst1?

- A. As the db2 instance owner (db2inst1) execute the command: export DB2_FMP_COMM_HEAPSZ=256000
- B. Add to the following line to the userprofile (db2inst1): DB2_FMP_COMM_HEAPSZ=256000
- C. As the db2 instance owner (db2inst1) execute the command: db2set ? DB2_FMP_COMM_HEAPSZ=256000
- D. As the db2 instance owner (db2inst1) execute the command: db2set ? db2inst1 DB2_FMP_COMM_HEAPSZ=256000

Correct Answer: C

QUESTION 5

Automatic space reclamation for column-organized tables can be accomplished in which of the following scenarios?

- A. When the registry variable DB2_AUTORECLAIMSPACE=YES
- B. After termination all the back-end processes using TERMINATE command
- C. After setting the database configuration parameter AUTO_DEL_REC_OBJ to ON
- D. When the registry variable DB2_WORKLOAD=ANALYTICS prior to database creation

Correct Answer: C

[Latest C2090-600 Dumps](#)

[C2090-600 PDF Dumps](#)

[C2090-600 Study Guide](#)