



# C2090-600<sup>Q&As</sup>

IBM DB2 11.1 DBA for LUW

## Pass IBM C2090-600 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c2090-600.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

On Linux and Unix systems, which of the following will set the DB2\_FMP\_COMM\_HEAPSZ registry variable to 1 GB (or 256000 pages), only for the instance db2inst1?

- A. As the db2 instance owner (db2inst1) execute the command:exportDB2\_FMP\_COMM\_HEAPSZ=256000
- B. Add to the following line to the userprofile (db2inst1): DB2\_FMP\_COMM\_HEAPSZ=256000
- C. As the db2 instance owner (db2inst1) execute the command:db2set ? DB2\_FMP\_COMM\_HEAPSZ=256000
- D. As the db2 instance owner (db2inst1)execute the command:db2set ? db2inst1 DB2\_FMP\_COMM\_HEAPSZ=256000

Correct Answer: C

---

**QUESTION 2**

Which of the following statements about compression for BLU MPP tables is TRUE?

- A. Compression must be explicitly enabled for BLU MPP tables
- B. Compression requires decompression to evaluate partition joins
- C. Unique compression dictionaries are generated for each partition
- D. Each table has a single compression dictionary that getsreplicated across all partitions

Correct Answer: D

---

**QUESTION 3**

What is an advantage of using range partitioned tables?

- A. Abilityto run utilities against the partitions in parallel
- B. Increased query performance through data partition elimination
- C. Block indexes are much smaller than RID indexes, providing better performance
- D. Table data is automatically and continuously clustered, requiring minimal reorganization

Correct Answer: B

---

**QUESTION 4**

Which of the following SQL statements will list table spaces whose utilization is greater than 95% and may potentially fill, returning an error?

- A. SELECT tbspc\_name, tbspc\_utilization\_percentFROM TABLE(sysproc.mon\_tbspc\_utilization()) AS tWHERE



tbsp\_utilization\_percent > 95AND tbsp\_auto\_resize\_enabled = 1;

B. SELECT tbsp\_name, tbsp\_utilization\_percentFROM syscat.mon\_tbsp\_utilizationWHERE tbsp\_utilization\_percent > 95AND tbsp\_auto\_resize\_enabled = 0;

C. SELECT tbsp\_name, tbsp\_utilization\_percentFROM syscat.mon\_tbsp\_utilizationWHERE tbsp\_utilization\_percent > 95AND tbsp\_auto\_resize\_enabled = 1;

D. SELECT tbsp\_name, tbsp\_utilization\_percentFROM sysibmadm.mon\_tbsp\_utilizationWHERE tbsp\_utilization\_percent > 95AND tbsp\_auto\_resize\_enabled = 0;

Correct Answer: C

---

### QUESTION 5

What does dsmtop use to gather metrics?

A. db2pd

B. db2dart

C. the system catalog

D. monitoring tablefunctions

Correct Answer: D

[C2090-600 VCE Dumps](#)

[C2090-600 Practice Test](#)

[C2090-600 Study Guide](#)