



C2090-600^{Q&As}

IBM DB2 11.1 DBA for LUW

Pass IBM C2090-600 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c2090-600.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

For any given column-organized user table, the associated synopsis table may contain information for which of the following data types? (Choose two.)

- A. XML
- B. BLOB
- C. CLOB
- D. VARCHAR
- E. DATETIME

Correct Answer: DE

QUESTION 2

How would you enable self-tuning of memory areas that are controlled by memory configuration parameters?

- A. Set the DB2_WORKLOAD aggregate registry variable to ANALYTICS for self-tuning of the sort parameter on workloads that access column-organized tables.
- B. Set the SELF_TUNING_MEM database configuration parameter to ON using the UPDATE DATABASECONFIGURATION command or the db2CfgSet API.
- C. Set the sortheap or the sheapthres_shr configuration parameters to AUTOMATIC using the UPDATE DATABASE CONFIGURATION command or the db2CfgSet API with sheapthres set to at least 4K.
- D. Use AUTOMATIC keyword for the buffer pool size on the CREATE BUFFERPOOL statement or the ALTER BUFFERPOOL statement after making sure that at least one entry is present in SYSCAT.BUFFERPOOLDBPARTITIONS.

Correct Answer: B

QUESTION 3

You receive a large data file that contains large object data values that need to be copied into a table in the shortest amount of time possible. Which utility should be used?

- A. LOAD
- B. INGEST
- C. IMPORT
- D. TRANSPORT

Correct Answer: C

**QUESTION 4**

Which of the following SQL statements will list table spaces whose utilization is greater than 95% and may potentially fill, returning an error?

- A. `SELECT tbspc_name, tbspc_utilization_percent FROM TABLE(sysproc.mon_tbspc_utilization()) AS t WHERE tbspc_utilization_percent > 95 AND tbspc_auto_resize_enabled = 1;`
- B. `SELECT tbspc_name, tbspc_utilization_percent FROM syscat.mon_tbspc_utilization WHERE tbspc_utilization_percent > 95 AND tbspc_auto_resize_enabled = 0;`
- C. `SELECT tbspc_name, tbspc_utilization_percent FROM syscat.mon_tbspc_utilization WHERE tbspc_utilization_percent > 95 AND tbspc_auto_resize_enabled = 1;`
- D. `SELECT tbspc_name, tbspc_utilization_percent FROM sysibmadm.mon_tbspc_utilization WHERE tbspc_utilization_percent > 95 AND tbspc_auto_resize_enabled = 0;`

Correct Answer: C

QUESTION 5

Which two tasks must be done to read data directly from IBM Softlayer Object Storage and insert it into a DB2 database? (Choose two.)

- A. Catalog a storage access alias in the DB2 database
- B. Create an FTP account on IBM Softlayer Object Storage
- C. Use the DB2REMOTE parameter of the LOAD command
- D. Establish a remote connection to IBM Softlayer Object Storage using DB2 Connect
- E. Create a local disk alias at the database server operating system level that points to IBM Softlayer Object Storage

Correct Answer: AC

[C2090-600 PDF Dumps](#)

[C2090-600 Study Guide](#)

[C2090-600 Exam Questions](#)