



C2090-611^{Q&As}

DB2 10.1 DBA for Linux UNIX and Windows

Pass IBM C2090-611 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c2090-611.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

An existing non-automatic storage database named MYDB has been successfully converted to an automatic storage database. What must be done to convert any existing DMS table spaces to automatic storage table spaces?

- A. Execute the statement ALTER DATABASE mydb CONVERT TO AUTOMATIC STORAGE IMMEDIATE.
- B. Execute the statement ALTER DATABASE mydb CONVERT TABLESPACES TO AUTOMATIC STORAGE.
- C. Execute the ALTER TABLESPACE statement with the MANAGED BY STOGROUP clause specified for each DMS table space that is to beconverted.
- D. Execute the ALTER TABLESPACE statement with the MANAGED BY AUTOMATIC STORAGE clause specified for each DMS table space that isto be converted.

Correct Answer: D

QUESTION 2

What must a user possess if they want to run a DB2 Command Line Processor (CLP) script against a database using the Job Manager in IBM Data Studio?

- A. Permission to log in to the database client using telnet.
- B. Permission to log in to the database server using telnet.
- C. Permission to log in to the database client using secure shell (SSH).
- D. Permission to log in to the database server using secure shell (SSH).

Correct Answer: D

QUESTION 3

Which is the suggested way to restore a database with a subset of its original table spaces?

- A. Execute the RESTORE DATABASE command with the REBUILD WITH option and specify the set of table spaces that are needed.
- B. Execute the RESTORE DATABASE command with the REBUILD WITH ALL TABLESPACES option and specify the set of table spaces that areneeded.
- C. Execute the RESTORE DATABASE command with the REBUILD WITH ALL TABLESPACES IN IMAGE option and specify the set of table spacesthat are needed.
- D. Execute the RESTORE DATABASE command with the REBUILD WITH ALL TABLESPACES IN DATABASE option and specify the set of tablespaces that are needed.

Correct Answer: A



QUESTION 4

Which statement is true about Insert Time Clustering (ITC) tables?

- A. An existing MDC table can be converted to an ITC table.
- B. ITC tables have similar characteristics to MDC tables, except they don't use block indexes.
- C. The ITC table is an MDC table defined with a single TIMESTAMP type column in the ORGANIZE BY clause.
- D. ITC tables are created with the CREATE TABLE command by specifying the ORGANIZE BY INSERT TIME clause.

Correct Answer: D

QUESTION 5

If a single node database is actively being used by applications when a power failure occurs, what method is used to bring the database back to a consistent state once power has been restored?

- A. Crash recovery
- B. Version recovery
- C. Disaster recovery
- D. Roll-forward recovery

Correct Answer: A

[Latest C2090-611 Dumps](#)

[C2090-611 Exam Questions](#)

[C2090-611 Braindumps](#)