



# C2090-611<sup>Q&As</sup>

DB2 10.1 DBA for Linux UNIX and Windows

## Pass IBM C2090-611 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c2090-611.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

If a single node database is actively being used by applications when a power failure occurs, what method is used to bring the database back to a consistent state once power has been restored?

- A. Crash recovery
- B. Version recovery
- C. Disaster recovery
- D. Roll-forward recovery

Correct Answer: A

---

### QUESTION 2

Which table space is NOT created by default when the CREATE DATABASE command is executed?

- A. USERSPACE1
- B. TEMPSPACE1
- C. SYSCATSPACE
- D. SYSTOOLSPACE

Correct Answer: D

---

### QUESTION 3

What authority must be held to create a trusted context?

- A. DBADM
- B. SQLADM
- C. SECADM
- D. CONNECT

Correct Answer: C

---

### QUESTION 4

Which statement is correct for a user who holds SECADM authority?

- A. A user who holds SECADM authority can only grant and revoke database object privileges.



B. A user who holds SECADM authority can grant and revoke all database level authorities and database object privileges.

C. A user who holds SECADM authority can only grant and revoke DBADM and SECADM database level authorities.

D. A user who holds SECADM authority can only grant and revoke label based access control (LBAC) security labels.

Correct Answer: B

---

#### QUESTION 5

Which tool can be used to mimic statistics for tables by gathering statistics from a production database and placing them into a test database?

A. db2pd

B. db2dart

C. db2look

D. db2mimic

Correct Answer: C

[Latest C2090-611 Dumps](#)

[C2090-611 VCE Dumps](#)

[C2090-611 Study Guide](#)