



C2090-614^{Q&As}

DB2 10.1 Advanced DBA for Linux UNIX and Windows

Pass IBM C2090-614 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c2090-614.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

If the following commands complete successfully for a single partition database: CREATE DATABASE mydb;

CREATE BUFFERPOOL mybp; Which statement is true?

- A. Self tuning is enabled for the MYBP buffer pool.
- B. The initial size for the MYBP buffer pool is zero pages.
- C. The database has to be restarted before the MYBP buffer pool will become active.
- D. The page size for the MYBP buffer pool can be changed using the ALTER BUFFERPOOL statement.

Correct Answer: A

QUESTION 2

An auditor has requested that all activities performed by those with SYSADM or DBADM authority be tracked. How can this be done with the db2audit tool?

- A. By creating a SYSADM ROLE and capturing SYSMANT event records.
- B. By creating an AUDIT POLICY and associating it with SYSADM and DBADM authority.
- C. By creating a SYSADM ROLE and capturing SYSADMIN and CHECKING event records.
- D. By creating an AUDIT POLICY and associating it with SYSMANT, SYSADMIN and CHECKING event records.

Correct Answer: B

QUESTION 3

Which tool provides the simplest method for monitoring buffer pool hit ratios?

- A. The BP_HITRATIO administrative view.
- B. The BP_WRITE_IO administrative view.
- C. The MON_GET_BUFFERPOOL table function.
- D. The MON_GET_PAGE_ACCESS_INFO table function.

Correct Answer: A

QUESTION 4



Which statement about Range Clustered Tables (RCT) is correct?

- A. Storage space is not pre-allocated for an RCT.
- B. The ALTER TABLE statement can be used to change the physical structure of an RCT.
- C. When defining a range of key values for an RCT, a minimum value is optional.
- D. The minimum value of a key column for an RCT cannot be a negative value.

Correct Answer: C

QUESTION 5

Which Workload Manager (WLM) objects can the COLLECT ACTIVITY DATA clause be used with?

- A. Data class, work class, and a limit
- B. Data class, action class, and a threshold
- C. Service subclass, action class, and a limit
- D. Service subclass, work class, and a threshold

Correct Answer: D

[C2090-614 PDF Dumps](#)

[C2090-614 Exam Questions](#)

[C2090-614 Braindumps](#)