



# C2090-623<sup>Q&As</sup>

IBM Cognos Analytics Administrator V11

## Pass IBM C2090-623 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c2090-623.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

An administrator is checking the current activities and recognizes one activity with several successful tasks with two still running. The administrator cancels this activity.

Where will this activity be shown?

- A. In the past activities with status canceled.
- B. In the past activities with status succeeded.
- C. In the current activities with status canceled.
- D. It will be automatically rescheduled under upcoming activities.

Correct Answer: A

Note: Users can access Current Activities, Past Activities, Upcoming Activities and Schedules on the Status tab in IBM Cognos Administration to monitor the server activities and manage schedules.

References: [https://www.ibm.com/support/knowledgecenter/en/SSEP7J\\_11.0.0/com.ibm.swg.ba.cognos.ug\\_cra.doc/c\\_reportnetsecuredfunctionsandfeatures.html](https://www.ibm.com/support/knowledgecenter/en/SSEP7J_11.0.0/com.ibm.swg.ba.cognos.ug_cra.doc/c_reportnetsecuredfunctionsandfeatures.html)

---

**QUESTION 2**

An administrator is configuring settings for the Cognos Analytics Mobile app. Which settings can be managed?

- A. To store the user credentials in the IBM Cognos Mobile app.
- B. The maximum number of minutes to store cached credentials.
- C. Allow the user to create an image (screenshot) of the Active Report.
- D. The maximum number of Active Reports to store locally on the mobile device.

Correct Answer: B

Policy settings These settings define how to deliver Cognos Analytics content to mobile applications. Maximum number of hours to store cached credentials

If you do not want to store credentials on a device, type 0. To store credentials on a device, type any value that is greater than the current timeout setting for IBM Cognos Analytics. As long as users are logged on, they will have access to their cached credentials. Value: 0 to 8760 Default: 0 Maximum number of pages to store for each report Maximum number of days to store a report Maximum number of hours between runs of the source and target reports Permission to share report screen captures

References: [https://www.ibm.com/support/knowledgecenter/en/SSEP7J\\_11.0.0/com.ibm.swg.ba.cognos.ug\\_cra.doc/c\\_mob\\_global\\_config\\_settings.html](https://www.ibm.com/support/knowledgecenter/en/SSEP7J_11.0.0/com.ibm.swg.ba.cognos.ug_cra.doc/c_mob_global_config_settings.html)

---

**QUESTION 3**



An administrator is performing tasks in the IBM Cognos Administration console. Which task can be performed on the Status > System page?

- A. Enable and disable schedules to control resource utilization in the system.
- B. Monitor upcoming activities, such as reports and jobs, to identify potential impact on system resources.
- C. Stop and start individual services under the control of a dispatcher, such as the BatchReportService service.
- D. Configure datasource connections so that reports can execute, query the datasource, and return a result set.

Correct Answer: B

The area: System, dispatcher, server, and service administration: is used to monitor system performance using system metrics and administer servers.

References: [https://www.ibm.com/support/knowledgecenter/SSMR4U\\_10.1.0/com.ibm.swg.ba.cognos.ug\\_cra.10.1.1.doc/c\\_administrationtools.html](https://www.ibm.com/support/knowledgecenter/SSMR4U_10.1.0/com.ibm.swg.ba.cognos.ug_cra.10.1.1.doc/c_administrationtools.html)

---

#### QUESTION 4

An administrator is implementing security by modifying access to the secured functions and secured features.

Which statement is true?

- A. A hyperlink on the Capabilities page represents a secured function that contains secured features.
- B. Granting execute permission on a secured function automatically grants execute permission to all secured features.
- C. As part of the initial security implementation, an administrator must grant access to secured functions and features to the predefined roles.
- D. To view a list of the secured functions and features available to them, a user must contact their administrator because only the administrator can perform this function.

Correct Answer: B

You set access to the secured functions and features by granting execute permissions for them to specified namespaces, users, groups, or roles.

Incorrect Answers:

C: When a content store is initialized, the initial permissions for the secured functions and features are created. The permissions define which of the predefined and built-in Cognos groups and roles have access to which secured functions and features, and the type of access. The initial permissions grant unrestricted access to IBM Cognos software because the built-in role System Administrators includes the group Everyone in its membership.

References: IBM Cognos Administration Version 10.1.0, Administration and Security Guide

---

#### QUESTION 5



An administrator wants to ensure that a datasource can be referenced when creating data modules in the IBM Cognos Analytics Portal (New > Data module).

What must be done to accomplish this?

- A. Add the datasource to the list of supported datasources in IBM Cognos Configuration.
- B. Configure the datasource in IBM Cognos Transformer so that it can communicate with the portal.
- C. In the web-based modeling tool itself, specify the 'Create Data Modules\\' access permission for the datasource.
- D. On the Connection tab of the datasource properties, ensure that the 'Allow web-based modeling\\' check box is selected.

Correct Answer: D

Problem(Abstract): Datasource connections not listed in Data server by default

Symptom: We can see the datasource in the Admin console but not in the list of data servers.

Cause: This is default behavior.

Resolving the problem

Go to the Administrative Console -> Configuration -> Set properties -> Connections tab.

On the bottom, you will see "Data source capabilities"

Inside that, check the box which says "Allow web-based modeling"

Once you check this, the datasource would be present as data server.

References: <http://www-01.ibm.com/support/docview.wss?uid=swg21978718>

[C2090-623 PDF Dumps](#)

[C2090-623 Exam Questions](#)

[C2090-623 Braindumps](#)